



Detailed Business Requirements Attention Deficit and Hyperactivity Disorder Episode a1.0 c02 d02

State of Ohio

June 12, 2018

CONFIDENTIAL AND PROPRIETARY
Any use of this material without specific permission is strictly prohibited.



Table of Contents

1. Introduction	3
1.1 <i>Versions and revisions</i>	3
1.2 <i>Scope of this document</i>	5
2. Description of the episode	8
2.1 <i>Patient journey</i>	8
2.2 <i>Sources of value</i>	8
2.3 <i>Design dimensions</i>	9
2.3.1 <i>Episode trigger</i>	10
2.3.2 <i>Episode duration</i>	10
2.3.3 <i>Claims included in episode spend</i>	11
2.3.4 <i>Episode spend</i>	11
2.3.5 <i>Principal Accountable Provider</i>	12
2.3.6 <i>Excluded episodes</i>	13
2.3.7 <i>Quality metrics</i>	17
2.3.8 <i>Risk adjustment</i>	18
2.3.9 <i>Gain and risk sharing</i>	20
3. Episode data flow	22
3.1 <i>Input data</i>	23
3.2 <i>Episode algorithm</i>	27
3.3 <i>Episode configuration</i>	27
3.4 <i>Output tables</i>	27
3.4.1 <i>Episode output table</i>	28
3.4.2 <i>PAP output table</i>	29
3.5 <i>Provider reports</i>	30
4. Algorithm logic	31
4.1 <i>Identify episode triggers</i>	31
4.2 <i>Determine the episode duration</i>	32
4.3 <i>Identify claims included in episode spend</i>	37
4.4 <i>Calculate non-risk adjusted episode spend</i>	40
4.5 <i>Identify Principal Accountable Providers</i>	42
4.6 <i>Identify excluded episodes</i>	44
4.7 <i>Identify Principal Accountable Providers who pass the quality metrics</i>	50
4.8 <i>Perform risk adjustment</i>	56
4.9 <i>Calculate gain/risk sharing amounts</i>	59

5. Glossary 63

1. INTRODUCTION

1.1 Versions and revisions

Episode design is an iterative process that typically involves multiple stakeholders. Once the design is finalized and the episode implemented, experience with the new payment model may generate new insights. The insights can in turn be leveraged to modify and improve the initial episode design. To keep track of the version of an episode used at any given time, a versioning system consisting of three numbers is employed:

- The algorithm version reflects the version of the software code used to produce the outputs for a particular episode. It is indicated by a major and minor version number, e.g., a1.1. The major algorithm version does not reset. The minor algorithm version resets when the major algorithm version is incremented.
- The configuration version reflects the version of the parameter settings and medical codes used to produce the outputs for a particular episode. The configuration includes for example the dollar amounts for the gain/risk sharing thresholds and the trigger diagnoses codes. The configuration version is indicated by a two digit number, e.g., c01. It is specific to the design decisions made by the organization that is implementing an episode and it does not reset.
- The documentation version reflects the version of the Detailed Business Requirements describing a particular episode. It is indicated by a two digit number, e.g., d01, and increments when a revision is made to the documentation without making a change to the algorithm or the configuration. It resets every time the algorithm or the configuration version changes.

Version	Date	Changes
a1.0 c01 d01	12/14/2016	■ Initial base definition design
a1.0 c02 d01	3/14/2018	■ DBR: Added the field 'HIC3 Code' to the input data in section 3.1 and revised section 4 accordingly to indicate that HIC3 codes should be pulled directly from claims rather than being cross-walked from the input field 'National Drug Code'.

Version	Date	Changes
		<ul style="list-style-type: none"> <li data-bbox="690 310 1386 407">■ DBR: Updated the Source Table Name of the input field 'MCP ID' to specify that the T_CA_ICN.MCO_PROV_KEY should also be used. <li data-bbox="690 432 1386 529">■ DBR: Updated section 4.1 to specify that preliminary potential trigger start and end dates can be extended if they overlap with another hospitalization. <li data-bbox="690 554 1386 651">■ DBR: Updated section 4.1 to specify that potential triggers cannot be built off of professional claims that overlap with another hospitalization. <li data-bbox="690 676 1386 732">■ DBR: Updated section 4.2 to clarify that overlap between episode windows is not allowed. <li data-bbox="690 758 1386 854">■ DBR: Updated section 4.4 to clarify that a separate methodology is applied to estimate the spend for inpatient, header-paid encounters. <li data-bbox="690 879 1386 1014">■ DBR: Updated section 4.6 to clarify that the Multiple payers exclusion is looking for switches at the payer name-level, not the MCP ID-level. This is required because a payer may be associated with multiple MCP IDs. <li data-bbox="690 1039 1386 1096">■ DBR: Removed legacy Multiple payer exclusion language from section 4.6 <li data-bbox="690 1121 1386 1178">■ DBR: Updated Glossary to indicate that hospitalization should not be extended to include transfers. <li data-bbox="690 1203 1386 1337">■ DBR: Updated the definition of 'Hospitalization' in the Glossary to indicate that the Header To Date of Service field of the first inpatient claim should be used when its Discharge Date of the claim is not populated. <li data-bbox="690 1362 1386 1419">■ DBR: Updated the Glossary to expand the definition the Pharmacy claims to include both claim types P and Q. <li data-bbox="690 1444 1386 1614">■ Configuration: Updated included claims, risk adjustment, excluded episodes, and quality metric codes for the following code lists – 'Included Medications', 'Risk Factor 019 – Substance Use (Cannabis)', 'Comorbidities Schizophrenia – Diagnoses', and 'BH Comorbidity' <li data-bbox="690 1640 1386 1736">■ Configuration and DBR: Clarified that the age ranges for risk factors are inclusive of the minimum and value maximum values. <li data-bbox="690 1761 1386 1818">■ Configuration and DBR: Updated all ICD-9 code references to also specify ICD-10.

Version	Date	Changes
a1.0 c02 d02	06/12/2018	<ul style="list-style-type: none"> ■ DBR: Updated language in section 4.5 to clarify that an appropriate provider type is always required regardless of which method is used to assign the PAP

1.2 Scope of this document

The Detailed Business Requirements (DBR) document serves as a guide to understand the definition of an episode. The DBR addresses three audiences:

- The episode owner who is accountable overall for the episode design and implementation
- The analytics team tasked with pressure testing the design of an episode and quality controlling the outputs from the episode algorithm
- The IT team tasked with implementing the algorithm to produce outputs for an episode

Section 2 of the DBR contains a description of the episode and is aimed at the episode owner and the analytics team. It addresses the following questions:

- **Patient journey:** Which patient cases are addressed by the episode?
- **Sources of value:** At which points in the patient journey do providers have most potential to improve quality of care and outcomes?
- **Design dimensions:** What decisions underlie the design of the episode?
 - Trigger: What events trigger an episode?
 - Episode duration: What is the duration of the episode?
 - Claims included and excluded: Which claims are included in or excluded from the episode spend?
 - Episode spend: How is the spend for an episode calculated?
 - Principal Accountable Provider (PAP): Which provider is primarily held accountable for the outcomes of an episode?
 - Excluded episodes: Which episodes are excluded from a PAP's average episode spend for the purposes of calculating any gain/risk sharing?

- Quality metrics: Which quality metrics are employed to inform PAPs about their quality of care?
- Risk adjustment: What approach is taken to adjust episodes for risk factors that cannot be directly influenced by the PAP?
- Gain and risk sharing: How are the gain and risk sharing amounts for PAPs determined?

Section 3 of the DBR explains the data flow of an episode. It is aimed at the analytics team and the IT team and addresses the following questions:

- **Input data:** What inputs does the episode algorithm require to build the episode?
- **Episode algorithm:** What is the intent of the episode design that needs to be reflected in the software code to produce the episode outputs?
- **Episode configuration:** What parameters (e.g., dollar amounts) and medical codes (e.g., diagnoses codes) need to be specified to define the episode?
- **Outputs:** What are the outputs of an episode algorithm?
- **Provider reports:** What information is included in the provider reports?

The algorithm logic in section 4 of the DBR is aimed at the IT team. It may also be helpful to the analytics team in their communication with the IT team over the course of quality controlling an episode. The algorithm logic addresses the following questions:

- What are the logical steps the episode algorithm needs to complete in order to produce the required outputs?
- Which cases does the algorithm need to address?
- Are there exceptions to the overall logic and, if so, how are they handled?

The DBR document does not cover the following topics:

- Background on how episodes compare to the current payment system
- Clinical rationale for inclusions and exclusions
- Intermediate analyses used during design of the episode
- Meeting materials used during design of the episode
- Guidance on data collection/transformation/storage


- Guidance on the episode algorithm coding approach

2. DESCRIPTION OF THE EPISODE

2.1 Patient journey

The episodes described in this document pertain to patients who are diagnosed with attention deficit and hyperactivity disorder (ADHD). As depicted in Exhibit 1, the patient journey begins when a patient receives a thorough assessment and is diagnosed with ADHD. The patient may begin initial treatment that involves behavioral therapy and/or medication, depending on the patient's age and conditions. Treatment may decrease during the summer while the patient is out of school. As ADHD is a chronic condition, treatment continues throughout the year based on patient's needs.

EXHIBIT 1 – PATIENT JOURNEY FOR THE ADHD EPISODE




2.2 Sources of value

In treating patients diagnosed with ADHD, providers have several opportunities to improve the quality and cost of care, as depicted in Exhibit 2. Two important sources of value are the effective use of assessments to ensure the diagnosis is accurate and the age-appropriateness of treatment, for example, treating preschool aged children with therapy and not medication.

Additionally, providers can make appropriate choices regarding the use of medications, for example, use of antipsychotics only when necessary. The provider also has the opportunity to follow up in a timely fashion and titrate doses of medication to achieve the optimal outcome for the patient. Furthermore, because this is a chronic condition, there is opportunity for providers to ensure continuous monitoring of the patients given their special needs, especially around medication use and use of evidence-based therapies.


EXHIBIT 2 – SOURCES OF VALUE FOR THE ADHD EPISODE



2.3 Design dimensions

Designing and building an ADHD episode comprises nine dimensions, as depicted in Exhibit 3. Each dimension is associated with a set of data manipulations that convert the data inputs to the desired data outputs. Section 3 provides additional details on the episode data flow.

EXHIBIT 3 – EPISODE DESIGN DIMENSIONS



2.3.1 Episode trigger

A potential trigger for an ADHD episode is a professional claim with an AD/ADHD primary diagnosis code. In addition, a professional claim with a secondary diagnosis of AD/ADHD and a primary diagnosis of a contingent code is also a potential trigger. The trigger diagnosis codes and contingent trigger codes are listed in the configuration file under “Trigger Diagnosis Codes” and “Contingent Trigger Diagnosis Codes” respectively.

2.3.2 Episode duration

The duration of the ADHD episode comprises the trigger window. The overall duration of the episode is referred to as the episode window.

- **Pre-trigger window:** This episode does not have a pre-trigger window.
- **Trigger window:** The trigger window begins on the episode trigger start date and extends for an additional 179 days. If a hospitalization begins on or before the 180th day (i.e., is ongoing on the 181st day of the trigger window), then the trigger window is extended until discharge from the hospitalization. Extending the episode in this way may only occur once per

episode window and does not lead to further extensions. Hospitalization is defined in the glossary.

- **Post-trigger window:** This episode does not have a post-trigger window.

Based on the definitions of the trigger window, potential triggers are divided into trigger ADHD and repeat ADHD:

- **Trigger ADHD:** Potential triggers that do not occur during another episode constitute the trigger of a new episode.
- **Repeat ADHD:** Potential triggers that occur during the trigger window of an episode do not constitute the trigger of a new episode.

2.3.3 Claims included in episode spend

Episode spend is calculated on the basis of claims directly related to ADHD. Claims that are included in the calculation of episode spend are referred to as included claims. The criteria to identify included claims depend on the time window during which a claim occurs.

- **Pre-trigger window:** This episode does not have a pre-trigger window.
- **Trigger window:**
 - Hospitalizations, outpatient, and professional claims with a primary diagnosis of AD/ADHD
 - Hospitalizations, outpatient, and professional claims with a secondary diagnosis of AD/ADHD and a primary diagnosis of a contingent code
 - Pharmacy claims with HIC3 codes for specific medications
- **Post-trigger window:** This episode does not have a post-trigger window.

The codes used to identify included AD/ADHD diagnoses, contingent codes, and medications are listed in the configuration file under “Trigger Diagnosis Codes” and “Contingent Trigger Diagnosis Codes”, and “Included Medications” respectively.

2.3.4 Episode spend

The episode spend is the amount that reflects the totality of spend for included claims. Since the totality of spend for included claims is not risk-adjusted, it is referred to as non-risk-adjusted episode spend. Based on the available data, Ohio Medicaid calculates the non-risk-adjusted episode spend as the sum of the allowed amount for included claims from Medicaid Fee For

Service (FFS) and the sum of the paid amount for included claims from Medicaid Managed Care Plans (MCPs). Given variation in data and payment practices, payers should use their judgment in determining which fields to utilize so as to best reflect the entire spend of an episode.

To remove variation in inpatient spend that is intentionally not addressed by the episode-based payment model, spend for included, DRG-paid inpatient claims is calculated by summing the APR-DRG base payment and the APR-DRG outlier payment for each included, DRG-paid inpatient claim. Medical education and capital expenditure payments are not included in non-risk-adjusted episode spend.

The non-risk-adjusted episode spend is calculated overall and by claim type, by window during the episode, and by claim type and window during the episode.

For the purpose of risk-adjustment only, a separate measure of episode spend, referred to as normalized-non-risk-adjusted episode spend, is used.

Normalized-non-risk-adjusted episode spend is calculated using normalized APR-DRG base rates for DRG-paid inpatient claims to remove variation in unit prices before performing risk adjustment. DRG-exempt inpatient, outpatient, professional, and pharmacy spend is calculated the same way for normalized-non-risk-adjusted episode spend as for non-risk-adjusted episode spend.

To calculate the DRG-paid inpatient spend component of normalized-non-risk-adjusted episode spend the APR-DRG base payment for each included DRG-paid inpatient claim is normalized using the following method: The normalized base rate is calculated as the average hospital base rate across all DRG-paid inpatient claims weighted by volume of DRG-paid inpatient claims. The DRG base payment on each DRG-paid inpatient claim is then multiplied by the ratio of the normalized base rate to the actual base rate of each hospital. Outlier payments, if present, are added unchanged. The medical education payment and the capital expenditure payment are not included in normalized-non-risk-adjusted episode spend.

2.3.5 Principal Accountable Provider

The Principal Accountable Provider (PAP) is the provider deemed to be in the best position to influence the quality and cost of care for a patient during

the ADHD episode. The ADHD episode uses the following plurality logic to identify the PAP:

- **Visit(s) for evaluation and management (E&M), and/or medication management:** When the episode has at least one visit for E&M and/or medication management, the PAP is the provider with an eligible provider type that has the plurality of ADHD-related visits for E&M and/or medication management during the episode window. The configuration file lists the eligible provider type codes and E&M and medication management codes under “Included Provider Types” and “E&M And Medication Management”, respectively.
- **Any visit(s):** When the episode does not have any ADHD-related visits for E&M and/or medication management, the PAP is the provider with an eligible provider type that has the plurality of any ADHD-related professional visits during the episode window. The configuration file lists the included provider type codes under “Included Provider Types.”

2.3.6 Excluded episodes

Episode exclusions ensure that the remaining episodes are comparable to each other and allow fair comparisons between patient panels. After all exclusions that identify invalid episodes have been applied, a set of valid episodes remains. The valid episodes form the basis to assess the performance of PAPs.

- **Business exclusions:**
 - Dual eligibility: An episode is excluded if a patient has dual coverage by Medicaid and Medicare at any time during the episode window. The configuration file lists the codes used to identify dual eligible beneficiaries under “Business Exclusions - Duals.”
 - FQHC/RHC: An episode is excluded if the PAP is classified as a federally qualified health center or rural health clinic. The configuration file lists the codes used to identify FQHCs and RHCs under “Business Exclusions – FQHC And RHC.”
 - Incomplete episodes: An episode is excluded if the non-risk-adjusted episode spend (not the risk-adjusted episode spend) is less than the incomplete episode threshold. Spend less than the incomplete episode threshold may be an indication that claims are miscoded or incomplete. The incomplete episode threshold was set at the cost of the minimum

services required to treat an episode. The incomplete episode threshold is listed as a parameter in the configuration file under “Excluded Episodes.”

- Inconsistent enrollment: An episode is excluded if there are gaps in full Medicaid coverage (FFS or with an MCP) of the patient during the episode window. The configuration file lists the codes used to identify beneficiaries with inconsistent enrollment under “Business Exclusions – Inconsistent Enrollment.”
- Long hospitalization: An episode is excluded if a hospitalization longer than (>) 30 days occurs during the episode window.
- Long-term care: An episode is excluded if long-term care occurs during the episode window.
- Missing APR-DRG: An episode is excluded if a DRG-paid inpatient claim during the episode window is missing the APR-DRG and severity of illness.
- Multiple payers: An episode is excluded if a patient changes enrollment between MCPs during the trigger window or the post-trigger window(s) (if applicable). The rules to attribute an episode to a payer are described in the glossary under “Payer Attribution.”
- No PAP: An episode is excluded if the billing provider number is not available.
- One professional claim: An episode is excluded if the episode has only one professional claim included in episode spend.
- PAP out of state: An episode is excluded if the PAP’s practice address is outside Ohio.
- Third-party liability: An episode is excluded if third-party liability charges are present on any claim or claim detail line during the episode window or if the patient has relevant third-party coverage at any time during the episode window.

■ **Clinical exclusions:**

- Age: An ADHD episode is excluded if the patient is younger than four (<4) or older than twenty (>20) years of age.
- Comorbidity: An episode is excluded if the patient has one or more of the following comorbidities during a specified time window. The

configuration file lists the comorbidity codes and time windows under “Comorbidities <Comorbidity Name> - <Procedures or Diagnosis>.” Comorbidity codes are searched for on inpatient, outpatient, and professional claims.

The comorbidity exclusions for the ADHD episode are:

- Diagnosis of adverse effects of medication during the episode window or during the 365 days before the episode window
- Diagnosis of antisocial personality disorder during the episode window or during the 365 days before the episode window
- Diagnosis of autism during the episode window or during the 365 days before the episode window
- Diagnosis of bipolar disorders during the episode window or during the 365 days before the episode window
- Diagnosis of borderline personality disorder during the episode window or during the 365 days before the episode window
- Diagnosis of conduct disorders during the episode window or during the 365 days before the episode window
- Diagnosis of delirium or dementia during the episode window or during the 365 days before the episode window
- Diagnosis of dissociative disorders during the episode window or during the 365 days before the episode window
- Diagnosis of encephalitis during the episode window or during the 365 days before the episode window
- Diagnosis of homicidal ideation during the episode window or during the 365 days before the episode window
- Diagnosis of manic disorders during the episode window or during the 365 days before the episode window
- Diagnosis of moderate or severe intellectual disabilities during the episode window or during the 365 days before the episode window
- Diagnosis of other central nervous system (CNS) infection during the episode window or during the 365 days before the episode window

- Diagnosis of psychosexual disorders during the episode window or during the 365 days before the episode window
- Diagnosis of psychosis during the episode window or during the 365 days before the episode window
- Diagnosis of psychosomatic disorders (factitious) during the episode window or during the 365 days before the episode window
- Diagnosis of schizophrenia during the episode window or during the 365 days before the episode window
- Diagnosis of substance use (prescription and illicit) during the episode window or during the 365 days before the episode window
- Diagnosis of suicide attempt or self-harm during the episode window or during the 365 days before the episode window
- Death: An episode is excluded if the patient has a discharge status of “expired” on any inpatient or outpatient claim during the episode window or has a date of death before the end of the episode window.
- Left against medical advice: An episode is excluded if a patient has a discharge status of “left against medical advice or discontinued care” on any inpatient or outpatient claim during the episode window.
- Multiple other comorbidities: An ADHD episode is excluded if it is affected by too many risk factors to reliably risk adjust the episode spend. The configuration file lists the number of risk factors beyond which an episode is excluded as a parameter under “Excluded Episodes.”

■ **Outliers:**

- High outlier: An episode is excluded if the risk-adjusted episode spend (not the non-risk-adjusted episode spend) is greater than the high outlier threshold. The high outlier threshold was set based on analyses of episode spend distributions for episodes that ended between the beginning of October 2014 and the end of September 2015 inclusive. It was set at three standard deviations above the average risk-adjusted episode spend for otherwise valid episodes. The high outlier threshold is listed as a parameter in the configuration file under “High Outlier.”

2.3.7 Quality metrics

A PAP must pass all quality metrics tied to gain sharing to be eligible for gain sharing. PAPs also receive information on additional quality metrics that allow them to assess their performance, but do not affect their eligibility to participate in gain sharing. Quality metrics are calculated for each individual PAP across valid or total episodes attributed to the PAP. The quality metrics are based on information contained in the claims filed for each patient. Additional information on how the quality metrics could be tied to gain sharing is provided in section 2.3.9 (“Gain and risk sharing”).

- **Quality metrics tied to gain sharing for ADHD episodes:**
 - Quality metric 1: Percentage of valid episodes that meet the minimum care requirement of five visits or claims during the episode window. The visits or claims may be a combination of E&M and medication management visits, therapy visits, or pharmacy claims for the treatment of ADHD. The codes used to identify E&M and medication management visits, therapy visits, and pharmacy claims for the treatment of ADHD are listed in the configuration file under “E&M And Medication Management”, “Therapy”, “Additional Therapy Codes Valid Prior To BH Redesign”, and “ADHD-Specific Medications” respectively.
 - Quality metric 2: Percentage of valid episodes with no coded behavioral health comorbidity for which the patient received antipsychotics. The codes used to identify behavioral health comorbidities and antipsychotics are listed in the configuration file under “BH Comorbidity” and “Antipsychotics” respectively.
- **Quality metrics not tied to gain sharing (i.e., included for information only) for ADHD episodes:**
 - Quality metric 3: Percentage of valid episodes of patients ages 6 to 12 for which there was a follow-up visit within 30 days of a prescription for ADHD medication. The codes used to identify follow-up visits and ADHD medications are listed in the configuration file under “E&M And Medication Management” and “ADHD-Specific Medications” respectively.
 - Quality metric 4: Percentage of valid episodes that had a claim with ADHD as a primary or secondary diagnosis in the year prior to the

episode start. The codes used to identify ADHD diagnoses are listed in the configuration file under “Trigger Diagnosis Codes.”

- Quality metric 5: Average number of pharmacy claim included in the episode. Pharmacy claims or claims detail lines included in episode spend are identified in section 2.3.3.
- Quality metric 6: Percentage of valid episodes with 20 or more included pharmacy claims. Pharmacy claims or claim detail lines included in episode spend are identified in section 2.3.3.
- Quality metric 7: Percentage of valid episodes of patients ages 4 to 5 that include any pharmacy claim. Pharmacy claims or claim detail lines included in episode spend are identified in section 2.3.3.
- Quality metric 8: Percentage of valid episodes of patients ages 6 to 12 that include any pharmacy claim. Pharmacy claims or claim detail lines included in episode spend are identified in section 2.3.3.
- Quality metric 9: Percentage of valid episodes of patients ages 13 to 20 that include any pharmacy claim. Pharmacy claims or claim detail lines included in episode spend are identified in section 2.3.3.

2.3.8 Risk adjustment

Principal Accountable Providers (PAPs) participating in episode-based payment models are compared based on their performance on quality metrics and based on the average spend for episodes treated by each PAP. The credibility and effectiveness of an episode-based payment model therefore rests on the comparability and fairness of the episode spend measure used in the comparisons. Risk adjustment is one of several mechanisms that episode-based payment models may use to achieve comparability in episode spend across PAPs.

Risk adjustment specifically captures the impact on episode spend of documented clinical risk factors that typically require additional care during an episode and are outside the control of the PAP. The goal of risk adjustment is to account for different levels of medical risk across patient panels and, by doing so, reduce incentives for tactical selection of patients (i.e., avoiding riskier and more costly patients) when payments are tied to episode spend performance.

Risk factors and risk coefficients are identified in an iterative process informed by medical best practice, expert opinion, and statistical testing. The risk coefficients are used to calculate a risk score for each episode given the risk

factors that are present for the episode. The risk score represents the ratio of the expected episode spend when no risk factors are present to the expected episode spend given the set of risk factors present for the episode. Multiplying the observed episode spend by the risk score results in the risk-adjusted episode spend. Risk-adjusted episode spend represents how much spend would have been incurred during the episode window had there been no risk factors present, all other things being equal. By minimizing the effect of clinically documented medical risk that is outside the control of the PAP on episode spend, risk-adjustment contributes to the fairness of the episode spend comparisons that underlie episode-based payment models.

For additional details on the risk adjustment process, please refer to the document “Supporting documentation on episode risk adjustment.”

This process was conducted as part of episode design by the Ohio Department of Medicaid. Risk factors and coefficients derived from this process are included in the accompanying configuration file. At this time it is not expected that individual payers run their own risk adjustment process for the Ohio Medicaid population.

- Risk factors for ADHD:
 - Adoption status
 - Age 6 to 12 years
 - Age 13 to 20 years
 - Anxiety
 - Depression excluding major depression
 - Disruptive mood dysregulation disorder
 - Emotional disturbance
 - Epilepsy and seizures
 - Fetal alcohol syndrome
 - First ADHD episode
 - Foster care status
 - Mild intellectual and developmental disabilities
 - Nutrition deficiencies
 - Obsessive compulsive disorder

- Oppositional defiant disorder
- Unspecified conduct disorder
- Unspecific mood disorder
- Post-traumatic stress disorder
- Substance use (cannabis)
- Substance use (tobacco)

Except for the age ranges, the time period during which risk factors must be present can be found in the configuration file under the column “Time Period.” Member age is defined in the glossary. The risk coefficients associated with each risk factor are listed as parameters in the configuration file under “Risk Adjustment.”

2.3.9 Gain and risk sharing

The State of Ohio and the MCPs will send provider reports to PAPs to inform them about their performance in the episode-based payment model. A detailed description of the provider reports is beyond the scope of the Detailed Business Requirements. Please refer to the “Episode of Care Payment Report Sample” provided separately as a general guide for the layout and metrics of the provider reports.

At some point after thresholds are set, provider reports will include gain/risk sharing information. Gain/risk sharing is determined based on the comparison of the average risk-adjusted episode spend for valid episodes of each PAP to three pre-determined thresholds. The thresholds and relevant calculations are detailed below. Note that, throughout this section, the average risk-adjusted episode spend for valid episodes will be referred to as the ‘average risk-adjusted spend’:

- **Acceptable threshold:** PAPs with an average risk-adjusted spend above the acceptable threshold and that also have a minimum of five valid episodes during the performance period owe a risk-sharing payment.
- **Commendable threshold:** PAPs with an average risk-adjusted spend between the commendable threshold and above the gain sharing limit threshold that also have a minimum of five valid episodes and pass the quality metrics tied to gain sharing during the performance period receive a gain sharing payment.


- **Gain sharing limit threshold:** PAPs with average risk-adjusted spend below the gain sharing limit threshold that also have a minimum of five valid episodes and pass the quality measures tied to gain sharing receive a gain sharing payment that is proportional to the difference between the commendable threshold and the gain sharing limit as a percentage of average risk-adjusted episode spend.

PAPs with average risk-adjusted episode spend between the acceptable and commendable thresholds may neither owe a risk sharing payment nor receive a gain sharing payment.

The gain or risk sharing payment of each PAP is calculated based on episodes that ended during a performance period of a certain length (e.g., 12 months). The calculation of the gain or risk sharing payment is as follows (Exhibit 4):

- **Risk sharing:** The calculation of the risk-sharing amount involves multiplying the percentage of spend subject to risk-sharing by the total non-risk-adjusted episode spend for all valid episodes of the PAP and the risk-sharing proportion (e.g., 50%). The percentage of spend subject to risk-sharing is the difference between the PAP's risk-adjusted spend and the acceptable threshold as a percentage of the PAP's risk-adjusted spend.
- **Gain sharing:** The calculation of the gain-sharing amount involves multiplying the percentage of spend subject to gain sharing by both a PAP's total non-risk-adjusted episode spend for valid episodes and the gain-sharing proportion (e.g., 50%). The calculation of the percentage of spend subject to gain sharing depends on whether the PAP's average risk-adjusted spend is above or below the gain-sharing limit:
 - If a PAP's average risk-adjusted spend is above the gain sharing limit, the percentage of spend subject to gain-sharing is the difference between the PAP's average risk-adjusted spend and the commendable threshold as a percentage of the PAP's average risk-adjusted spend. If the PAP's average risk-adjusted spend is below the gain sharing limit, the percentage of spend subject to gain sharing is the difference between the gain sharing limit and the commendable threshold as a percentage of the PAP's average risk-adjusted spend.

EXHIBIT 4 – CALCULATION OF RISK- AND GAIN-SHARING PAYMENTS




3. EPISODE DATA FLOW

The analytics underlying an episode-based payment model are performed by an episode algorithm. The algorithm takes an input dataset, transforms the data in accordance with the intent of the episode design, and produces a set of output tables (Exhibit 5). The output tables are used to create provider reports.

Several of the episode design dimensions require input parameters such as age ranges and medical codes such as diagnosis, procedure, and medication codes to specify the intent of the episode. The parameters and medical codes are provided in the episode configuration.

It is recommended that the episode data flow include two elements for quality assurance: (1) An input acceptance criteria table to assess the content and quality of the input dataset. (2) An output acceptance criteria table to assess the content and quality of the output tables. It is the responsibility of each payer to determine the details of appropriate quality assurance measures.

EXHIBIT 5 – EPISODE DATA FLOW



3.1 Input data

To build an episode, the following input data are needed:

- **Member Extract:** List of patients and their health insurance enrollment information.
- **Provider Extract:** List of participating providers and their addresses.
- **Claims Extract:** Institutional claims (UB-04 claim form), professional claims (CMS1500 claim form), and pharmacy claims (NCPDP claim form) at the patient level.
- **APR-DRG Base Rate Table:** Table containing the APR-DRG base rate for each DRG-paid provider.

The table below lists the required input fields using the source field abbreviations and source table names provided in the Ohio Vendor Extracts Companion Guides. The algorithm logic (section 4) describes the use of each input field. In the algorithm logic, input fields are referred to by the “Source field name in DBR” and written in italics.

Table – Input fields

Source field name in DBR	Source field abbreviation OH Medicaid	Source table names OH Medicaid
Member Extract		
Member ID	ID_MEDICAID	DSS.T_RE_BASE_DN
Eligibility Start Date	DTE_EFFECTIVE	DSS.T_RE_AID_ELIG_DN
Eligibility End Date	DTE_END	DSS.T_RE_AID_ELIG_DN
Aid Category	CDE_AID_CATEGORY	DSS.T_RE_AID_ELIG_DN
MCP Start Date	DTE_EFFECTIVE	DSS.T_RE_PMP_ASSIGN
MCP End Date	DTE_END	DSS.T_RE_PMP_ASSIGN
Date Of Birth	DTE_BIRTH	DSS.T_RE_BASE_DN
Date Of Death	DTE_DEATH	DSS.T_RE_BASE_DN
Member Gender	CDE_SEX	DSS.T_RE_BASE_DN
TPL Effective Date	DTE_TPL_EFFECTIVE	DSS.T_COVERAGE_XREF
TPL End Date	DTE_TPL_END	DSS.T_COVERAGE_XREF
Coverage Type	CDE_COVERAGE	DSS.T_COVERAGE_XREF
Provider Extract		
Provider ID	ID_PROVIDER_MCAID	DSS.T_PR_SVC_LOC_DN
Provider Name	NAME	DSS.T_PR_APPLN
Practice Address Line 1	ADR_MAIL_STRT1	DSS.T_PR_ADR_DN
Practice Address Line 2	ADR_MAIL_STRT2	DSS.T_PR_ADR_DN
Practice City	ADR_MAIL_CITY	DSS.T_PR_ADR_DN
Practice State	ADR_MAIL_STATE	DSS.T_PR_ADR_DN
Practice Zip Code	ADR_MAIL_ZIP	DSS.T_PR_ADR_DN
Claims Extract		
Internal Control Number	NUM_ICN	DSS.T_CA_ICN
FFS Or MCP Indicator	IND_CLAIM	DSS.T_CA_ICN
MCP ID	ID_PROVIDER_MCAID	T_CA_PROV_KEY T_CA_ICN.MCO_PROV_KEY
Header Or Detail Indicator	IND_HDR_DTL	DSS.T_CA_IND_KEY
Claim Type	CDE_CLM_TYPE	DSS.T_CA_CLAIM_KEY
Header Paid Status	CDE_HDR_STATUS	DSS.T_CA_CLAIM_KEY
Detail Paid Status	CDE_DTL_STATUS	DSS.T_CA_CLAIM_KEY
Member ID	ID_MEDICAID	DSS.T_CA_ICN
Billing Provider ID	ID_PROVIDER_MCAID	T_CA_PROV_KEY T_CA_ICN.BILL_PROV_KEY
Billing Provider Type	CDE_PROV_TYPE_PRIM	DSS.T_CA_PROV_KEY T_CA_ICN.BILL_PROV_KEY
Attending Provider ID	ID_PROVIDER_MCAID	T_CA_PROV_KEY T_CA_ICN.REFER_PROV_KEY

Source field name in DBR	Source field abbreviation OH Medicaid	Source table names OH Medicaid
Rendering Provider ID	ID_PROVIDER_MCAID	T_CA_PROV_KEY T_CA_ICN.PERF_PROV_KEY
Header From Date Of Service	DTE_FIRST_SVC_H	DSS.T_CA_ICN
Header To Date Of Service	DTE_LAST_SVC_H	DSS.T_CA_ICN
Detail From Date Of Service	DTE_FIRST_SVC_D	DSS.T_CA_ICN
Detail To Date Of Service	DTE_LAST_SVC_D	DSS.T_CA_ICN
Admission Date	DTE_ADMISSION	DSS.T_CA_ICN
Discharge Date	DTE_DISCHARGE	DSS.T_CA_ICN
Patient Status Indicator	CDE_PATIENT_STATUS	DSS.T_CA_UB92
Header Diagnosis Code Primary	CDE_DIAG and CDE_DIAG_SEQ = 01	DSS.T_CA_DIAG
Header Diagnosis Code 2-28	CDE_DIAG and CDE_DIAG_SEQ = 02-28	DSS.T_CA_DIAG
Surgical Procedure Code Primary	CDE_PROC_ICD9 and NUM_SEQ = 01	DSS.T_CA_ICD9_PROC
Surgical Procedure Code 2-24	CDE_PROC_ICD9 and NUM_SEQ = 02-24	DSS.T_CA_ICD9_PROC
Detail Procedure Code	CDE_PROC_PRIM	DSS.T_CA_ICN DSS.T_CA_HDR_DTL
Modifier 1-4	CDE_MODIFIER_X	DSS.T_CA_ICN DSS.T_CA_HDR_DTL
Place Of Service	CDE_POS	DSS.T_CA_CLAIM_KEY
Revenue Code	CDE_REVENUE	DSS.T_CA_ICN DSS.T_CA_HDR_DTL
National Drug Code	CDE_NDC	DSS.T_CA_DRUG
HIC3 Code	CDE_THERA_CLS_SPEC	DSS.T_CA_DRUG
Header FFS Allowed Amount	AMT_ALWD_H	DSS.T_CA_ICN
Detail FFS Allowed Amount	AMT_ALWD_D	DSS.T_CA_ICN
Header MCP Paid Amount	AMT_PAID_MCO_H	DSS.T_CA_ICN
Detail MCP Paid Amount	AMT_PAID_MCO_D	DSS.T_CA_ICN
Header TPL Amount	AMT_TPL_APPLD_H	DSS.T_CA_ICN
Detail TPL Amount	AMT_TPL_APPLD_D	DSS.T_CA_ICN

Source field name in DBR	Source field abbreviation OH Medicaid	Source table names OH Medicaid
APR-DRG	CDE_DRG	DSS.T_CA_ICN
Severity of Illness	CDE_SOI	DSS.T_CA_DRG
DRG Base Payment	AMT_BASE_DRG	DSS.T_CA_UB92
DRG Outlier Payment A	AMT_DAY_OUTLIER	DSS.T_CA_UB92
DRG Outlier Payment B	AMT_COST_OUTLIER	DSS.T_CA_UB92
APR-DRG Base Rate Table		
Provider ID	Medicaid Provider ID	APR DRG Base Rates to Plans.xlsx
Base Rate	Base Rate	APR DRG Base Rates to Plans.xlsx

The date range for the input data has to include the 12 months duration reporting period as well as the 18 months preceding the reporting period. The 18 months preceding the reporting period are needed to allow for identification of risk factors and comorbidities as well as to provide sufficient input data to identify the episode start date for the first episodes that end during the reporting period.

The input data includes claims from the payer responsible for the episode as well as historical claims from other Medicaid payers prior to the episode trigger. Payers are provided with this claims data upon member enrollment. The inclusion of this data is particularly important in generating appropriate risk factors and exclusions.

Historical data should be treated exactly the same as claims that were submitted directly to the payer with one exception: Payers should only report on episodes for which they paid the triggering claim in order to avoid double-counting of episodes across plans.

The input data has to contain only unique and paid claims. It is the responsibility of each payer to apply appropriate methods to ensure that all claims in the input data are valid, de-duplicated, and paid. For Ohio Medicaid, the methods provided by the State are used to remove duplicate and void claims. The input fields *Header Paid Status* and *Detail Paid Status* are used to determine whether a claim or claim detail line was paid.

If the value of an input field from the Claims Extract that is required to build an episode is missing or invalid, then the corresponding claim is ignored when

building the episode. For example, a claim that would be a potential trigger, but is missing the *Header From Date Of Service*, cannot be a potential trigger.

3.2 Episode algorithm

The intent of the episode algorithm is detailed in the algorithm logic (section 4) of the DBR.

3.3 Episode configuration

The parameters and medical codes needed to define an episode are listed in the configuration file which is provided as an attachment to the DBR. The file includes:

- **Parameters sheet:** Values for parameters used in the episode, for example the outlier thresholds and risk coefficients.
- **Code sheet:** Medical codes used in the episode, for example trigger diagnosis or procedure codes and codes to identify included claims. Diagnosis and procedure codes may be provided as complete or incomplete codes. If an incomplete code is provided, the incomplete code itself as well as all complete codes that stem from it need to be taken into account when using the code.

The algorithm logic (section 4) explains the intended use of the parameters and medical codes by the episode algorithm. References to medical codes in the configuration file are made using the name for the relevant design dimension subcategory in the code sheet of the configuration file. References to parameters in the configuration file are made using the name for the relevant design dimension in the parameters sheet of the configuration file.

3.4 Output tables

Using the input data tables and the configuration file, an episode algorithm creates two output tables: the episode output table and the PAP output table. The algorithm logic (section 4) describes the definition of each output field. In the algorithm logic, output fields are referred to by the output field names provided in the tables below and are written in italics.

3.4.1 Episode output table

The episode output table contains the set of episodes identified by the algorithm and the characteristics of each episode. The table below lists the required output fields.

Table – Episode Output Table

Output field name	Output field abbreviation
Episode identification	
Trigger Claim ID	TriggerClaimID
Member ID	MemberID
Member Age	MemberAge
Member Gender	MemberGender
Episode Start Date	EpisodeStartDate
Episode End Date	EpisodeEndDate
Trigger Window Start Date	TriggerWindowStartDate
Trigger Window End Date	TriggerWindowEndDate
PAP ID	PAPID
PAP Name	PAPName
Rendering Provider ID	RenderingID
Rendering Provider Name	RenderingName
Excluded episodes	
Any Exclusion	EEAny
Exclusion Age	EEAge
Exclusion Death	EEDeath
Exclusion Dual Eligibility	EEDual
Exclusion FQHCRHC	EEFQHCRHC
Exclusion High Outlier	EEHighOutlier
Exclusion Incomplete Episode	EEIncomplete
Exclusion Inconsistent Enrollment	EEEnrollment
Exclusion Left Against Medical Advice	EEAMA
Exclusion Long Hospitalization	EELongAdmission
Exclusion Long-term Care	EELTC
Exclusion Missing DRG	EENoDRG
Exclusion Multiple Other Comorbidities	EEMultiCF
Exclusion Multiple Payers	EEMultiPayer
Exclusion No PAP	EENoPAP
Exclusion One Professional Claim	EEOneProfClaim
Exclusion PAP Out Of State	EEOutOfState
Exclusion Third-party Liability	EETPL
Exclusion <Comorbidity Name>	EE<ComorbidityName>

Output field name	Output field abbreviation
Number of comorbidities depends on episode	
Count Of Included Claims	
Count Of Included Claims	EpiClaimsIncluded
By Trigger Window	EpiClaimsIncludedTrig
By Inpatient	EpiClaimsIncludedIP
By Outpatient	EpiClaimsIncludedOP
By Professional	EpiClaimsIncludedProf
By Pharmacy	EpiClaimsIncludedPharma
By Trigger Window And Inpatient	EpiClaimsIncludedTrigIP
By Trigger Window And Outpatient	EpiClaimsIncludedTrigOP
By Trigger Window And Professional	EpiClaimsIncludedTrigProf
By Trigger Window And Pharmacy	EpiClaimsIncludedTrigPharma
Non-risk-adjusted Episode Spend	EpiSpendNonadjPerformance
Same breakouts as for claim counts	
Normalized-non-risk-adjusted Episode Spend	EpiSpendNonAdjNorm
Risk-adjusted Episode Spend	EpiSpendAdjPerformance
Risk adjustment	
Episode Risk Score	EpiRiskScore
Risk Factor 001	RF001
Risk Factor 002	RF002
Risk Factor 003	RF003
Number of RFs depends on episode	
Quality metrics	
Quality Metric 01 Indicator	EpiQM01
Quality Metric 02 Indicator	EpiQM02
Quality Metric 03 Indicator	EpiQM03
Number of QMs depends on episode	

3.4.2 PAP output table

The PAP output table contains information about each PAP and their episodes. The table below lists the required output fields.

Table – PAP Output Table

Output field name	Output field abbreviation
PAP identification	
PAP ID	PAPID
PAP Name	PAPName
PAP Address Line 1	PAPAddress1
PAP Address Line 2	PAPAddress2

Output field name	Output field abbreviation
PAP City	PAPCity
PAP State	PAPState
PAP Zip Code	PAPZip
Episode counts	
Count Of Total Episodes Per PAP	PAPEpisodesTotal
Count Of Valid Episodes Per PAP	PAPEpisodesValid
With Inpatient	PAPePiWithIP
With Outpatient	PAPePiWithOP
With Professional	PAPePiWithProf
With Pharmacy	PAPePiWithPharma
PAP performance	
Gain Sharing Quality Metric Pass	PAPQMPassOverall
Gain/Risk Sharing Amount	PAPGainRiskShare
PAP Sharing Level	PAPSharingLevel
Minimum Episode Volume Pass	MinEpiPass
PAP spend	
Average Non-risk-adjusted PAP Spend	PAPSpendNonadjPerformanceAvg
Inpatient A/B	PAPSpendNonadjPerformanceAvgIP A/B
Outpatient A/B	PAPSpendNonadjPerformanceAvgOP A/B
Professional A/B	PAPSpendNonadjPerformanceAvgProf A/B
Pharmacy A/B	PAPSpendNonadjPerformanceAvgPharma A/B
Total Non-risk-adjusted PAP Spend	PAPSpendNonadjPerformanceTotal
PAP Risk Adjustment Ratio	PAPRiskAdjRatioPerformance
Average Risk-adjusted PAP Spend	PAPSpendAdjPerformanceAvg
Total Risk-adjusted PAP Spend	PAPSpendAdjPerformanceTotal
Quality metrics performance	
PAP Quality Metric 01 Performance	PAPQM01
PAP Quality Metric 02 Performance	PAPQM02
PAP Quality Metric 03 Performance	PAPQM03
Number of QMs depends on episode	

3.5 Provider reports

During the initial implementation phase, each PAP receives a report to inform them about their performance in the episode-based payment model. The information shown in the provider report is based on the episode and PAP output tables. The reports show episodes with an episode end date during the reporting period. A detailed description of the provider report is beyond the

scope of the Detailed Business Requirements. Please refer to the “Episode of Care Payment Report Sample” provided separately as a general guide for the layout and metrics of the provider report.

4. ALGORITHM LOGIC

The algorithm logic forms the basis to code an episode algorithm. It explains the intent of the episode design at a level of granularity that will allow an IT implementation team to create an algorithm that matches the episode design.

4.1 Identify episode triggers

The first design dimension of building an ADHD episode is to identify potential triggers.

Episode output fields created: *Trigger Claim ID, Member ID*

Potential triggers are identified over the entire date range of the input data. For the ADHD episode, a potential trigger is defined as a professional claim with a diagnosis indicating AD/ADHD. Claim types are identified based on the input field *Claim Type*. For the definition of claim type see the glossary.

A professional claim that contains an AD/ADHD trigger diagnosis code in the input field *Header Diagnosis Code Primary* is a potential trigger. A professional claim with a contingent trigger diagnosis code in the input field *Header Diagnosis Code Primary* and an AD/ADHD trigger diagnosis code in any of the input fields *Header Diagnosis Code 2-28* is also a potential trigger.

The AD/ADHD trigger diagnoses codes are listed in the configuration file under “Trigger Diagnosis Codes.” The contingent trigger diagnosis codes are listed in the configuration file under “Contingent Trigger Diagnosis Codes.”

The triggering professional claim may or may not overlap with a hospitalization. The definition of hospitalization can be found in the glossary.

Potential triggers start on the input field *Header From Date Of Service* and end on the input field *Header To Date Of Service* of the triggering professional claim. When the triggering professional claim overlaps with a hospitalization, the potential trigger start date is set by using the earliest date identified by the input field *Header From Date Of Service* on the triggering professional claim

and the hospitalization. The potential trigger end date is set by using the latest date identified by the input field *Header To Date Of Service* of the triggering professional claim and the input field *Discharge Date* of the hospitalization.

The output field *Trigger Claim ID* is set to the input field *Internal Control Number* of the professional claim that identifies a potential trigger. The output field *Member ID* is set to the input field *Member ID* of the professional claim that identifies a potential trigger.

Once all potential triggers have been identified, the preliminary start and end dates for each potential trigger can be extended if they overlap with another hospitalization. In order for an extension to occur, the hospitalization must meet one of the following conditions:

- The preliminary potential trigger start and end dates both occur between the hospitalization start and end dates
- The preliminary potential trigger start date occurs between the hospitalization start date and 1 day before the hospitalization end date
- The hospitalization start date occurs between the preliminary potential trigger start date and 1 day before the preliminary potential trigger end date, and the hospitalization end date occurs after the preliminary potential trigger end date.

This extension is possible even if the trigger claim (and associated facility claim, if applicable to the episode) does not have a *Claim Type* of inpatient, as long as the trigger logic does not explicitly prohibit episodes to trigger during an inpatient stay. An overlapping hospitalization cannot result in the shortening of the preliminary potential trigger duration.

For the definition of hospitalizations see the glossary. The extension logic only applies to the first overlapping hospitalization. Additional extension is not allowed if the extended potential trigger window overlaps with another hospitalization.


4.2 Determine the episode duration

The second design dimension of building an ADHD episode is to define the duration of the episode and to assign claims and claim detail lines to each episode.

Episode output fields created: *Trigger Window Start Date, Trigger Window End Date, Episode Start Date, Episode End Date*

A single time window is of relevance in determining the episode duration (see Exhibit 6).

EXHIBIT 6 – ADHD EPISODE DURATION



- **Pre-trigger window:** The ADHD episode does not have a pre-trigger window.
- **Trigger window:** The output field *Trigger Window Start Date* is set using the potential trigger start date which is defined in section 4.1. The output field *Trigger Window Start Date* is also the output field *Episode Start Date*. The output field *Trigger Window End Date* is set at 179 days after the *Trigger Window Start Date*, for a total episode duration of 180 days. An exception occurs if there is a hospitalization ongoing on the 180th day of the trigger window.

If a hospitalization is ongoing on the 180th day of the trigger window, the *Trigger Window End Date* is set to the *Header End Date* of the hospitalization. A hospitalization is ongoing on the 180th day of the trigger window if the hospitalization has a *Header Start Date* during the 180 days of the trigger window and a *Header End Date* beyond the 180 days of the

trigger window. If more than one hospitalization is ongoing on the 180th day of the trigger window, the latest *Header End Date* present on one of the hospitalizations sets the *Trigger Window End Date*. The extension of the trigger window due to a hospitalization may not lead to further extensions, i.e., if the trigger window is set based on the *Header To Date Of Service* of a hospitalization and a different hospitalization starts during the extension of the trigger window and ends beyond it, the episode is not extended a second time (Exhibit 7). See Glossary for the definition of hospitalization.


Only potential triggers that constitute a trigger ADHD can set the output field *Trigger Window Start Date*. The approach to determine whether a potential trigger is a trigger ADHD is described below.

- **Post-trigger window:** The ADHD episode does not have a post-trigger window.

The extension of an episode due to a hospitalization may not lead to further extensions of the episode, i.e., if the post-trigger window is set based on the *Discharge Date* of a hospitalization and a different hospitalization starts during the extension of the post-trigger window and ends beyond it the episode is not extended a second time (Exhibit 7).

- **Clean period:** The ADHD episode does not have a clean period.

EXHIBIT 7 – EPISODE EXTENSIONS



The duration of the trigger window is the episode window. All time windows are inclusive of their first and last date. For the definition of how the duration of time windows is calculated see the glossary.

The logic that determines the duration of the episode window assigns potential triggers to one of two groups:

- **Trigger ADHD:** Potential triggers that do not occur during another episode constitute the trigger of a new episode.
- **Repeat ADHD:** Potential triggers that occur during the episode window of an episode do not constitute the trigger of a new episode.

To define episode windows for each patient a chronological approach is taken. The first trigger ADHD of a given patient is identified as the earliest (i.e., furthest in the past) potential trigger in the input data. Once the first trigger ADHD for a patient has been identified, the trigger window is set. Any potential triggers that fall into the trigger window are classified as repeat ADHD. The next potential trigger that starts outside of the trigger window constitutes the second trigger ADHD for a given patient. The process of setting episode windows continues for each patient until the last episode window that ends during the input data date range is defined. Note that the input data begins

18 months prior to the reporting window, so potential triggers may be repeat ADHD, and thus not trigger an ADHD episode, due to an ADHD that ended prior to the reporting period.

The following special cases may occur when determining the episode duration:

- If two or more potential triggers of the same patient overlap, i.e., the start date of one potential trigger falls between the start date and the end date (inclusive) of one or more other potential triggers of the same patient, then only one of the overlapping potential triggers is chosen as a trigger ADHD or repeat ADHD. The other overlapping potential triggers do not count as trigger ADHD or repeat ADHD, but are treated like any other claims. The following hierarchy is applied to identify the one potential trigger out of two or more overlapping potential triggers that is assigned as a trigger ADHD or repeat ADHD:
 - The potential trigger with the earliest start date is selected.
 - If there is a tie, the potential trigger with the latest end date is selected.
 - If there is still a tie, the potential trigger with the earliest input field *Header From Date Of Service* for the professional claim with the triggering diagnosis is selected.
 - If there is still a tie, the potential trigger with the latest input field *Header To Date Of Service* for the professional claim with the triggering diagnosis is selected.
 - If there is still a tie, the potential trigger with the lowest value for the output field *Trigger Claim ID* is selected.
- If the start date of a potential trigger occurs during the trigger window of an episode but its end date is outside of the trigger window of the episode, the potential trigger is neither a repeat ADHD nor a trigger ADHD, and the claim detail lines in the potential trigger are treated like any other claims.

To determine which claims and claim detail lines occur during an episode and before an episode the following assignment rules are used. In addition, specific rules apply to assign claims and claim detail lines to windows during the episode (the trigger window and hospitalizations).

■ **Assignment to the episode window:**

Since the episode window is determined by the trigger window, assignment to the episode window matches the assignment to the trigger window.

■ **Assignment to a window before the episode:**

- Hospitalizations, all inpatient claims within them, and all claim detail lines of the inpatient claims are assigned to a window before the episode (e.g., 365 days to 1 day before the output field *Episode Start Date*, 90 days to 1 day before the *Episode Start Date*) if the input field *Header From Date Of Service* of the hospitalization occurs during the specified time window before the output field *Episode Start Date*.
- Pharmacy claims and all their claim detail lines are assigned to a window before the episode if the input field *Header From Date Of Service* occurs during the specified time window before the *Episode Start Date*.
- Outpatient and professional claims are assigned to a window before the episode if all their claim detail lines are assigned to the window before the episode. Outpatient and professional claim detail lines are assigned to a window before the episode if the input field *Detail From Date Of Service* occurs during the specified time window before the output field *Episode Start Date*.

■ **Assignment to the trigger window:**

- Hospitalizations, all inpatient claims within them, and all claim detail lines of the inpatient claims are assigned to the trigger window if both the input field *Header From Date Of Service* and the input field *Discharge Date* of the hospitalization occur during the trigger window.
- Pharmacy claims and all their claim detail lines are assigned to the trigger window if both the input fields *Header From Date Of Service* and the *Header To Date Of Service* occur during the trigger window.
- Outpatient and professional claims are assigned to the trigger window if all their claim detail lines are assigned to the trigger window. Outpatient and professional claim detail lines are assigned to the trigger window if both the input fields *Detail From Date Of Service* and *Detail To Date Of Service* occur during the trigger window.

4.3 Identify claims included in episode spend

The third design dimension of building an ADHD episode is to identify which claims and claim detail lines are included in the calculation of episode

spend. For short, such claims or claim detail lines are referred to as included claims or included claim detail lines.

Episode output fields created: *Count Of Included Claims*

Rules for the inclusion of claims and claim detail lines apply to claims and claim detail lines assigned to the trigger window. The assignment of claims and claim detail lines to windows during the episode is detailed in section 4.2.

■ **Trigger window:**

Claims and claim detail lines assigned to the trigger window are included based on the following logic:

- Hospitalizations are included if they meet one of the following conditions:
 - If an inpatient claim assigned to the trigger window includes a trigger diagnosis code in the input field *Header Diagnosis Code Primary*, then all claim detail lines of all inpatient claims in the entire hospitalization are included claim detail lines. The configuration file lists the diagnoses codes under “Trigger Diagnosis Codes.”
 - If an inpatient claim assigned to the trigger window includes a contingent trigger diagnosis code in the input field *Header Diagnosis Code Primary* and a trigger diagnosis code in any of the input fields *Header Diagnosis Code 2-28*, then all claim detail lines of all inpatient claims in the entire hospitalization are included claim detail lines. The trigger diagnoses codes are listed in the configuration file under “Trigger Diagnosis Codes” The contingent trigger diagnosis codes are listed in the configuration file under “Contingent Trigger Diagnosis Codes.”
- Outpatient and professional claims and claim detail lines are included if they meet one of the following conditions:
 - If an outpatient or professional claim assigned to the trigger window includes a trigger diagnosis code in the input field *Header Diagnosis Code Primary*, then all claim detail lines of the claim assigned to the trigger window are included claim detail lines. The configuration file lists the diagnoses codes under “Trigger Diagnosis Codes.”
 - If an outpatient or professional claim assigned to the trigger window includes a contingent trigger diagnosis code in the input field

Header Diagnosis Code Primary and a trigger diagnosis code in any of the input fields *Header Diagnosis Code 2-28*, then all claim detail lines of the claim assigned to the trigger window are included claim detail lines. The trigger diagnoses codes are listed in the configuration file under “Trigger Diagnosis Codes” The contingent trigger diagnosis codes are listed in the configuration file under “Contingent Trigger Diagnosis Codes”

- Pharmacy claims are included if they meet the following condition:
 - Included medications: If a pharmacy claim that is assigned to the trigger window contains an included medication code found in the input field *National Drug Code*, then the claim is an included claim. The configuration file lists included medications under “Included Medications” using Hierarchical Ingredient Code Level 3 (HIC3) identifiers provided by First Databank.

Outpatient and professional claim detail lines that are assigned to the episode window are checked for excluded procedures. These exclusions supersede any other reason a claim detail line might be included.

- Excluded transportation: If an outpatient or professional claim detail line that is assigned to the episode window contains an excluded transportation procedure code in the input field *Detail Procedure Code*, then the claim detail line is an excluded claim detail line. The configuration file lists the codes under “Excluded Transportation Procedures.”
- Excluded vaccinations: If an outpatient or professional claim detail line that is assigned to the episode window contains an excluded vaccination procedure code in the input field *Detail Procedure Code*, then the claim detail line is an excluded claim detail line. The configuration file lists the codes under “Excluded Vaccination Procedures.”
- Not included claims: Any claim or claim detail line not explicitly included during the episode window is an excluded claim or excluded claim detail line.

The output field *Count Of Included Claims* is defined as the number of unique claims that contribute to episode spend. For the purpose of calculating counts of claims, a claim is counted as contributing to episode spend if it is an included claim or if one or more of its claim detail lines are included claim detail lines. The output field *Count Of Included Claims* is calculated overall as

well as broken out by claim type, by window during the episode, and by claim type and window during the episode. Breakouts by window are calculated based on the window to which each claim is assigned.

4.4 Calculate non-risk adjusted episode spend

The fourth design dimension of building an ADHD episode is to calculate the non-risk-adjusted spend for each episode.

Episode output fields created: *Non-risk-adjusted Episode Spend, Normalized-non-risk-adjusted Episode Spend*

PAP output fields created: *Average Non-risk-adjusted PAP Spend, Total Non-risk-adjusted PAP Spend*

The *Non-risk-adjusted Episode Spend* is defined as the sum of:

- The spend for included, header-paid inpatient claims. The spend for each included, header-paid inpatient claim is calculated as the value in the input field *DRG Base Payment* plus the values in the input fields *DRG Outlier Payment A* and *DRG Outlier Payment B*. Header-paid inpatient claims are identified based on an input field *Header Or Detail Indicator* of 'H'. Other components of the DRG payment are not taken into account. Ohio Medicaid has a methodology to derive this clinical component of care for relevant encounters using the relative weights for each DRG-SOI combination and hospital rates as posted on the Ohio Medicaid website (<http://medicaid.ohio.gov/PROVIDERS/FeeScheduleandRates/SchedulesandRates.aspx#1682575-inpatient-hospital-services>).
- The spend for included, detail-paid inpatient claims. The spend for each included, detail-paid inpatient claim is calculated as the sum of the input fields *Detail Paid Amount* for claims from MCPs and the sum of the inputs fields *Detail Allowed Amount* for claims from FFS.
- The *Header Paid Amount* of included pharmacy claims from MCPs.
- The *Header Allowed Amount* of included pharmacy claims from FFS.
- The *Detail Paid Amount* for included outpatient and professional claim detail lines from MCPs.
- The *Detail Allowed Amount* for included outpatient and professional claim detail lines from FFS.

Claims from MCPs and FFS are distinguished based on the input field *FFS Or MCP Indicator*. A value of ‘E’ in the input field *FFS Or MCP Indicator* indicates an MCP claim; a value of ‘F’ indicates a FFS claim. The output field *Non-risk-adjusted Episode Spend* is calculated overall and broken out by claim type, by window during the episode, and by claim type and window during the episode.

The *Normalized-non-risk-adjusted Episode Spend* is defined as the sum of:

- The normalized spend for included, header-paid inpatient claims. The normalized spend for each included, header-paid inpatient claim is calculated as the value in the input field *DRG Base Payment* multiplied by the ratio of the *Normalized Base Rate* to the *Base Rate* plus the values in the input fields *DRG Outlier Payment A* and *DRG Outlier Payment B*. The configuration file lists the *Normalized Base Rate* as a parameter under “Episode Spend.” The *Base Rate* is determined by looking up the appropriate value in the input field *Base Rate* from the APR-DRG Base Rate Table using the input field *Provider ID* to link to the *Billing Provider ID* of each included, header-paid inpatient claim. Header-paid inpatient claims are identified based on a *Header Or Detail Indicator* of ‘H’. Other components of the DRG payment are not taken into account.
- The spend for included, detail-paid inpatient claims. The spend for each included, detail-paid inpatient claim is calculated as the sum of the input fields *Detail Paid Amount* for claims from MCPs and the sum of the input fields *Detail Allowed Amount* for claims from FFS.
- The *Header Paid Amount* of included pharmacy claims from MCPs.
- The *Header Allowed Amount* of included pharmacy claims from FFS.
- The *Detail Paid Amount* for included outpatient and professional claim detail lines from MCPs.
- The *Detail Allowed Amount* for included outpatient and professional claim detail lines from FFS.

If a claim detail line is included for two or more reasons (e.g., due to an included diagnosis and an included procedure), its *Detail Allowed Amount* or *Detail Paid Amount* counts only once towards the *Non-risk-adjusted Episode Spend* or the *Normalized-non-risk-adjusted Episode Spend*.

For the provider reports, the fields *Average Non-risk-adjusted PAP Spend* and *Total Non-risk-adjusted PAP Spend* are added to the PAP output table.

Average Non-risk-adjusted PAP Spend is calculated as the average of the *Non-risk-adjusted Episode Spend* across valid episodes for a given PAP. *Total Non-risk-adjusted PAP Spend* is calculated as the sum of the *Non-risk-adjusted Episode Spend* across valid episodes for a given PAP. See section 4.5 for the identification of PAPs and section 4.6 for the definition of valid episodes.

The *Average Non-risk-adjusted PAP Spend* is shown overall as well as broken out by claim type, by window during the episode, and by claim type and window during the episode. The breakouts of *Average Non-risk-adjusted PAP Spend* are calculated in two ways:

- Breakout A: The averages are calculated across all valid episodes of a PAP.
- Breakout B: The averages are calculated across valid episodes of a PAP that has spent greater than zero dollars (>\$0) in the category that is broken out.

For example, a PAP has 100 valid episodes and 80 of the episodes have any inpatient spend, the remaining 20 do not have any inpatient spend. To calculate breakout A for *Average Non-risk-adjusted PAP Spend Inpatient*, the denominator is 100 valid episodes. To calculate breakout B for *Average Non-risk-adjusted PAP Spend Inpatient* the denominator is 80 valid episodes with any inpatient spend.

4.5 Identify Principal Accountable Providers

The fifth design dimension of building an ADHD episode is to assign each episode to a Principal Accountable Provider (PAP).

Episode output fields created: *PAP ID, PAP Name, Rendering Provider ID, Rendering Provider Name*

PAP output fields created: *PAP ID, PAP Name, PAP Address Line 1, PAP Address Line 2, PAP City, PAP State, PAP Zip Code*

The output field *PAP ID* may be set in one of the two ways described below:

- **Visit(s) for E&M and/or medication management:** When the episode has at least one E&M and/or medication management visit included in the episode spend that has an eligible provider type, the output field *PAP ID* is

set using the input field *Billing Provider ID* with the highest number of visits for E&M and/or medication management included in the episode spend. E&M and/or medication management procedure codes are identified in the input field *Detail Procedure Code* on the claim detail line(s) of the visit. Provider types are identified by the input field *Billing Provider Type* on the claim(s) of the visit. The definition of a visit can be found in the glossary. The configuration file lists the eligible provider type codes and E&M and medication management codes under “Included Provider Types” and “E&M And Medication Management”, respectively.

- **Any visit(s):** When the episode does not have any E&M and/or medication management visits included in the episode spend that have an eligible provider type, the output field *PAP ID* is set using the input field *Billing Provider ID* with the highest number of visits included in the episode spend that has an eligible provider type. E&M and/or medication management procedure codes are identified in the input field *Detail Procedure Code* on the claim detail line(s) of the visit. Provider types are identified by the input field *Billing Provider Type* on the claim(s) of the visit. The definition of a visit can be found in the glossary. The configuration file lists the eligible provider type codes and E&M and medication management codes under “Included Provider Types” and “E&M And Medication Management”, respectively.

The output field *Rendering Provider ID* may be set in one of the two ways described below:

- **Visit(s) for E&M and/or medication management:** When the episode has at least one E&M and/or medication management visit included in the episode spend that has the input field *Billing Provider ID* matching the output field *PAP ID*, the output field *Rendering Provider ID* is set using the input field *Rendering Provider ID* with the highest number of visits for E&M and/or medication management included in the episode spend that have the input field *Billing Provider ID* matching the output field *PAP ID*. The configuration file lists the E&M and medication management codes under “E&M And Medication Management.”
- **Any visit(s):** When the episode does not have any E&M and/or medication management visits included in the episode spend that have the input field *Billing Provider ID* matching the output field *PAP ID*, the output field *Rendering Provider ID* is set using the input field *Rendering Provider ID* with the highest number of visits included in the episode spend that have

the input field Billing Provider ID matching the output field PAP ID. The configuration file lists the E&M and medication management codes under “E&M And Medication Management.”

If two or more billing providers or rendering providers are tied based on the number of visits, the following hierarchy is applied:

- Among billing providers or rendering providers that are tied, the input fields *Billing Provider ID* or *Rendering Provider ID* with the highest amount of spend across included claims is the PAP or the rendering provider, respectively.
- Among billing providers or rendering providers that are still tied, the input fields *Billing Provider ID* or *Rendering Provider ID* with the visit that starts closest to the output field *Episode End Date* is the PAP or the rendering provider, respectively. The visit must be included in episode spend.
- Among billing providers or rendering providers that are still tied, the PAP or rendering provider is the provider with the lowest value in input fields *Billing Provider ID* or *Rendering Provider ID*, respectively.

The output fields *PAP Name*, *PAP Address Line 1*, *PAP Address Line 2*, *PAP City*, *PAP State*, and *PAP Zip Code* are set based on the Provider Extract input fields *Provider Name*, *Practice Address Line 1*, *Practice Address Line 2*, *Practice City*, *Practice State*, and *Practice Zip Code*, respectively. The output fields are linked to the Provider Extract by matching the output field *PAP ID* to the input field *Provider ID* of the Provider Extract.

The output field *Rendering Provider Name* is set based on the Provider Extract input field *Provider Name*. The output field is linked to the Provider Extract by matching the output field *Rendering Provider ID* to the input field *Provider ID* of the Provider Extract.

4.6 Identify excluded episodes

The sixth design dimension of building an ADHD episode is to identify episodes that are excluded from the episode-based payment model.

Episode output fields created: *Any Exclusion*, *Exclusion Age*, *Exclusion Death*, *Exclusion Dual Eligibility*, *Exclusion FQHCRHC*, *Exclusion High Outlier*, *Exclusion Incomplete Episode*, *Exclusion Inconsistent Enrollment*,

Exclusion Left Against Medical Advice, Exclusion Long Hospitalization, Exclusion Long-term Care, Exclusion Missing DRG, Exclusion Multiple Other Comorbidities, Exclusion Multiple Payers, Exclusion No PAP, Exclusion One Professional Claim, Exclusion PAP Out Of State, Exclusion Third-party Liability, Exclusion <Comorbidity Name>

Each *Exclusion <name of exclusion>* output field indicates whether an episode is excluded for a given reason and therefore invalid for the purpose of the episode based payment model. If an episode is excluded for more than one reason each exclusion is indicated. The output field *Any Exclusion* indicates whether an episode contains any exclusion. Episodes may be excluded for business reasons, for clinical reasons, or because they are outliers. After all exclusions have been applied, a set of valid episodes remains.

Business exclusions

- **Dual eligibility:** An episode is excluded if the patient had dual coverage by Medicare and Medicaid during the episode window. Dual coverage is determined using the *Eligibility Start Date* and *Eligibility End Date* from the Member Extract where the *Aid Category* indicates dual coverage. *Aid Category* codes that indicate dual coverage are listed in the configuration file under “Business Exclusions – Duals.” Note that only the first digit of the *Aid Category* code is used for this purpose.

A patient is considered to have dual coverage during the episode window if the patient’s *Eligibility Start Date* for dual coverage falls before or on (\leq) the *Episode End Date* and the *Eligibility End Date* for dual coverage falls on or after (\geq) the *Episode Start Date*. The input field *Member ID* is linked to the output field *Member ID* from the Member Extract to identify the enrollment information for each patient.

If a patient has an *Eligibility Start Date* without a corresponding *Eligibility End Date* for dual coverage, the dual coverage is considered to be ongoing through the last date of the input data.

If a patient had dual coverage before or after the episode window, but not during the episode window, the episode is not excluded.

- **FQHC/RHC:** An episode is excluded if the PAP is classified as a federally qualified health center or rural health clinic. A PAP is determined to be a FQHC or RHC if the input field *Billing Provider Type* of the PAP is listed in the configuration file under “Business Exclusions – FQHC And RHC.”

- **Incomplete episodes:** An episode is excluded if the *Non-risk-adjusted Episode Spend* (not the *Risk-adjusted Episode Spend*) is less than (<) the incomplete episode threshold. The incomplete episode threshold is listed as a parameter in the configuration file under “Excluded Episodes.”
- **Inconsistent enrollment:** An episode is excluded if the patient was not continuously enrolled in Ohio Medicaid during the episode window. Enrollment is verified using the input fields *Eligibility Start Date* and *Eligibility End Date* from the Member Extract where the input field *Aid Category* indicates full Medicaid enrollment. *Aid Category* codes that indicate full Medicaid enrollment are listed in the configuration file under “Business Exclusions – Inconsistent Enrollment.” Note that only the first digit of the *Aid Category* code is used for this purpose.

A patient is considered continuously enrolled if the patient’s *Eligibility Start Date* for full Medicaid falls before or on (\leq) the *Episode Start Date* and the *Eligibility End Date* for full Medicaid falls on or after (\geq) the *Episode End Date*. The output field *Member ID* is linked to the input field *Member ID* from the Member Extract to identify the enrollment information for each patient.

A patient may have multiple entries for *Eligibility Start Date* and *Eligibility End Date* for full Medicaid and some of the dates may be overlapping. In such cases, continuous, non-overlapping records of a patient’s enrollment are created before confirming whether the patient was continuously enrolled during an episode. If a patient has an *Eligibility Start Date* without a corresponding *Eligibility End Date* for full Medicaid, enrollment is considered to be ongoing through the last date of the input data.

If a patient was not continuously enrolled in Ohio Medicaid before or after the episode window, but was continuously enrolled during the episode window, the episode is not excluded.

- **Long hospitalization:** An episode is excluded if a hospitalization that is assigned to the episode window has a duration greater than the threshold for long hospitalizations. The hospitalization may or may not be included in the episode spend. The long hospitalization threshold is listed as a parameter in the configuration file under “Excluded Episodes.”
- **Long-term care:** An episode is excluded if the patient has one or more long-term care claim detail lines which overlap the episode window. A long-term care claim detail line which overlaps the episode window is

defined as one with both a *Detail From Date Of Service* on or prior to (\leq) the *Episode End Date* and a *Detail To Date Of Service* on or after (\geq) the *Episode Start Date*. The long-term care claim detail line may or may not be included in the episode spend.

- **Missing APR-DRG:** An episode is excluded if a header-paid inpatient claim assigned to the episode window has an invalid or missing value in the input fields *APR-DRG* or *Severity Of Illness*. Header-paid inpatient claims are identified based on a *Header Or Detail Indicator* of ‘H’.
- **Multiple payers:** An episode is excluded if a patient changes enrollment between MCPs during the trigger window or during the post-trigger window(s) (if applicable). Episodes are identified as having multiple payers if there is an inpatient, outpatient, professional, or pharmacy claim that meets all of the following conditions:
 - The claim is assigned to the trigger window or the post-trigger window(s) of the episode (if applicable)
 - The input field *FFS Or MCP Indicator* of the claim is not "FFS"
 - The input field *MCP ID* on the claim is not null and does not belong to the same payer that the episode is attributed to. Since a payer may be associated with multiple MCP IDs, the input field *MCP ID* must be crosswalked to a payer name. An updated crosswalk including current and historical MCP IDs must be used for each reporting period.

If a patient changes enrollment between MCPs during the pre-trigger window (if any) or before the episode window, it is the responsibility of the payer to whom the episode is attributed to utilize the claims history of the patient with the prior payer to build the episode. Attribution of an episode to a payer is defined in the glossary under “Payer Attribution.”

- **No PAP:** An episode is excluded if the PAP cannot be identified. A PAP cannot be identified if the *Billing Provider ID* is not available.
- **One professional claim:** An episode is excluded if it has only one professional claim included in spend. See section 4.3 to identify claims included in episode spend.
- **PAP out of state:** An episode is excluded if the PAP has a practice address outside of Ohio. The state of the practice address is determined using the output field *PAP State*. The code used to identify the state of Ohio is listed in the configuration file under “Business Exclusions – PAP Out Of State.”

- **Third-party liability:** An episode is excluded if either:
 - An inpatient, outpatient, or professional claim that is assigned to the episode window is associated with a third-party liability amount. A claim is considered to be associated with a third-party liability amount if either the input field *Header TPL Amount* or any of the input fields *Detail TPL Amount* have a value greater than (>) zero. The claim with a positive TPL amount may or may not be included in the calculation of episode spend.

As an exception, a third party liability amount in the input field *Header TPL Amount* or the input field *Detail TPL Amount* of a professional FFS claim from an FQHC or RHC does not lead to exclusion of the episode if the episode is attributed to an MCP. Professional claims from FQHC or RHC are identified based on one or more detail lines that are assigned to the episode window and also have a *Place Of Service* of FQHC or RHC. The relevant values for *Place Of Service* are listed in the configuration file under “Business Exclusions – TPL Exempt Places of Service.” Claims from FFS are identified based on the input field *FFS Or MCP Indicator* having a value of ‘F’. Attribution of an episode to a payer is defined in the glossary under “Payer attribution.”

- A patient was enrolled with a relevant source of third party liability during the episode window. Enrollment is verified using the *TPL Effective Date* and *TPL End Date* from the Member Extract where the *Coverage Type* indicates relevant TPL coverage. *Coverage Type* codes that indicate relevant TPL are listed in the configuration file under “Business Exclusions – TPL Relevant Coverage.”

A patient is considered enrolled with a relevant source of TPL if the patient’s *TPL Effective Date* falls before or on (\leq) the *Episode End Date* and the *TPL End Date* falls on or after (\geq) the *Episode Start Date*. The output field *Member ID* is linked to the input field *Member ID* from the Member Extract to identify the enrollment information for each patient.

If a patient has a *TPL Effective Date* without a corresponding *TPL End Date* the enrollment with a relevant source of TPL is considered to be ongoing through the last date of the input data.

If a patient was enrolled with a relevant TPL source before or after the episode window, but was not enrolled during the episode window, the episode is not excluded.

Clinical exclusions

- **Age:** An episode is excluded if the output field *Member Age* does not fall into the valid age range or if it is invalid. See the glossary for the definition of *Member Age*. The valid age ranges for the ADHD episode are listed as parameters in the configuration file under “Excluded Episodes.”
- **Comorbidity:** An episode is excluded if the patient has a comorbidity code during a specified time window. Each comorbidity exclusion listed in the configuration file sets a separate output field named *Exclusion <Name Of Comorbidity>*. For example, the antisocial personality disorder comorbidity exclusion sets the output field *Exclusion Antisocial Personality Disorder* for all those episodes with evidence of antisocial personality disorder during the specified time period. The following approach is used to identify comorbidities:
 - Comorbidity diagnoses codes are searched for in the input fields *Header Diagnosis Code Primary* or *Header Diagnosis Code 2-28* of inpatient, outpatient, and professional claims that are assigned to the specified time windows. The configuration file lists the codes and time windows under “Comorbidities <name of comorbidity> – Diagnosis.”

The claims and claim detail lines that are searched for comorbidities do not have to be included claims or included claim detail lines. If a patient lacked continuous eligibility during the year before the episode window or during the episode window, comorbidities are checked in the data available.

- **Death:** An episode is excluded if either:
 - The patient has a *Patient Status Indicator* of “Expired” on any inpatient or outpatient claim assigned to the episode window. The claim may be an included claim or not. The values of the *Patient Status Indicator* used to identify whether the patient expired are listed in the configuration file under “Clinical Exclusions – Death.”
 - The input field *Date Of Death* in the Member Extract contains a date before or equal to the *Episode End Date*. The output field *Member ID* is linked to the input field *Member ID* from the Member Extract to identify the *Date Of Death* for each patient.
- **Left against medical advice:** An episode is excluded if the patient has an input field *Patient Status Indicator* of “Left Against Medical Advice or Discontinued Care” on any inpatient or outpatient claim assigned to the

episode window. The claim may be an included claim or not. The value of the *Patient Status Indicator* used to identify whether the patient left against medical advice is listed in the configuration file under “Clinical Exclusions – Left Against Medical Advice.”

- **Multiple other comorbidities:** An episode is excluded if it is affected by too many risk factors to reliably risk adjust the episode spend. The output fields *Risk Factor <risk factor number>* as defined in section 4.8 are used to identify how many risk factors affect an episode. Each output field *Risk Factor <risk factor number>* indicates whether an episode is affected by one risk factor. If an episode is affected by more (>) risk factors than the value listed as a parameter in the configuration file under “Excluded Episodes,” the episode is excluded.

Outliers

- **High outlier:** An episode is excluded if the output field *Risk-adjusted Episode Spend* (not the *Non-risk-adjusted Episode Spend*) is above (>) the high outlier threshold. The high outlier threshold was set based on analyses of episode spend distributions for episodes that ended between the beginning of October 2014 and the end of September 2015 inclusive. It was set at three standard deviations above the average risk-adjusted episode spend for otherwise valid episodes. The high outlier threshold is listed as a parameter in the configuration file under “High Outlier.” See section 4.8 for the definition of *Risk-adjusted Episode Spend*.

4.7 Identify Principal Accountable Providers who pass the quality metrics

The seventh design dimension of building an ADHD episode is the calculation of the quality metrics and the identification of PAPs who meet the quality metrics performance requirement.

Episode output fields created: *Quality Metric 01 Indicator, Quality Metric 02a Indicator, Quality Metric 02b Indicator, Quality Metric 03a Indicator, Quality Metric 03b Indicator, Quality Metric 04 Indicator, Quality Metric 05 Indicator, Quality Metric 06 Indicator, Quality Metric 07a Indicator, Quality Metric 07b Indicator, Quality Metric 08a Indicator, Quality Metric 08b Indicator, Quality Metric 09a Indicator, Quality Metric 09b Indicator*

PAP output fields created: *PAP Quality Metric 01 Performance, PAP Quality Metric 02 Performance, PAP Quality Metric 03 Performance, PAP Quality Metric 04 Performance, PAP Quality Metric 05 Performance, PAP Quality Metric 06 Performance, PAP Quality Metric 07 Performance, PAP Quality Metric 08 Performance, PAP Quality Metric 09 Performance*

The ADHD episode has two quality metrics that are tied to gain sharing and seven informational quality metrics. Informational quality metrics are not tied to gain sharing.

Quality metrics tied to gain-sharing for ADHD episodes:

■ Quality metric 1: Minimum care requirement

- The output field *Quality Metric 01 Indicator* marks episodes that meet the minimum care requirement of five (5) visits or pharmacy claims for the treatment of ADHD that are included in episode spend. Visits may be a combination of E&M and medication management or therapy visits.
- E&M and medication management visits are identified based on professional claim detail lines assigned to the episode window containing a procedure code indicating E&M and/or medication management in the input field *Detail Procedure Code*. Codes indicating E&M and medication management are listed in the configuration file under “E&M And Medication Management.” Therapy is identified based on professional claim detail lines assigned to the episode window containing a procedure code indicating therapy in the input field *Detail Procedure Code*. Codes indicating therapy are listed in the configuration file under “Therapy” and “Additional Therapy Codes Valid Prior To BH Redesign.” The definition of visit can be found in section 6. Pharmacy claims for the treatment of ADHD are identified based on header-paid pharmacy claims assigned to the episode window containing a code indicating an ADHD-specific medication in the input field *National Drug Code*. Header-paid pharmacy claims are identified using the input field *Header Or Detail Indicator*. Codes indicating ADHD treatment are identified based on the Hierarchical Ingredient Code Level 3 (HIC3) identifiers provided by First Databank listed in the configuration file under “ADHD-Specific Medications.”
- The output field *PAP Quality Metric 01 Performance* is expressed as a percentage for each PAP based on the following ratio:

- Numerator: Number of valid episodes of the PAP that meet the minimum care requirement of five (5) visits or pharmacy claims included in the episode spend, as indicated by the *Quality Metric 01 Indicator*
 - Denominator: Number of valid episodes of the PAP
- This quality metric will be calculated and reported in two versions before the Ohio Medicaid Behavioral Health Redesign goes into effect. The difference between the two versions is the list of therapy codes used to calculate and report this metric:
 - Version 1 uses lists “Therapy” and “Additional Therapy Codes Valid Prior To BH Redesign.”
 - Version 2 uses only list “Therapy.”
- **Quality metric 2: Antipsychotics in non-comorbid episodes**
 - The output field *Quality Metric 02a Indicator* marks valid episodes with no coded behavioral health comorbidity for which the patient received antipsychotics during the episode window.
 - The output field *Quality Metric 02b Indicator* marks valid episodes with no coded behavioral health comorbidity.
 - Behavioral health comorbidities are identified by inpatient, outpatient, and professional claims assigned to 365 days before the output field *Episode Start Date* or during the episode window that contain a code indicating a behavioral health comorbidity in the input field *Header Diagnosis Code* or *Header Diagnosis Code 2-28*. Codes indicating behavioral health comorbidity are listed in the configuration file under “BH Comorbidity.” Antipsychotics are identified based on pharmacy claims and claim detail lines assigned to the episode window containing a code indicating antipsychotics in the input field *National Drug Code*. Codes indicating antipsychotics are identified based on the Hierarchical Ingredient Code Level 3 (HIC3) identifiers provided by First Databank listed in the configuration file under “Antipsychotics.”
 - The output field *PAP Quality Metric 02 Performance* is expressed as a percentage for each PAP based on the following ratio:
 - Numerator: Number of valid episodes of the PAP with no coded behavioral health comorbidity for which the patient received antipsychotics, as indicated by the *Quality Metric 02a Indicator*

- Denominator: Number of valid episodes of the PAP with no coded behavioral health comorbidity, as indicated by the *Quality Metric 02b Indicator*

Quality metrics not tied to gain sharing for ADHD episodes (i.e., included for information only):

■ **Quality metric 3: Follow-up visits within 30 days of prescription**

- The output field *Quality Metric 03a Indicator* marks valid episodes of patients ages 6 to 12 for which there was at least one follow-up encounter included in episode spend within 30 days of a prescription for ADHD medication during the episode window.
- The output field *Quality Metric 03b Indicator* marks valid episodes of patients ages 6 to 12 for which there was a prescription for ADHD medication during the episode window.
- A follow-up encounter is identified by a professional claim detail line included in the episode spend that contains a code indicating a follow-up encounter in the input field *Detail Procedure Code*. Codes indicating follow-up encounters are listed in the configuration file under “E&M And Medication Management.” A prescription for ADHD is identified based on pharmacy claims and claim detail lines assigned to the episode window containing a code indicating ADHD-specific prescription in the input field *National Drug Code*. Codes indicating ADHD-treatment are identified based on the Hierarchical Ingredient Code Level 3 (HIC3) identifiers provided by First Databank listed in the configuration file under “ADHD-Specific Medications.” The follow-up encounter must occur within 30 days after the *Header To Date Of Service* for header-paid pharmacy claims or *Detail To Date Of Service* for detail-paid pharmacy claims. Header- and detail-paid pharmacy claims are identified using the input field *Header Or Detail Indicator*.
- The output field *PAP Quality Metric 03 Performance* is expressed as a percentage for each PAP based on the following ratio:
 - Numerator: Number of valid episodes of the PAP with patients ages 6 to 12 for which there was a follow-up encounter within 30 days of a prescription for ADHD medication during the episode window, as indicated by the *Quality Metric 03a Indicator*

- Denominator: Number of valid episodes of the PAP with patients ages 6 to 12 for which there was a prescription for ADHD medication during the episode window, as indicated by the *Quality Metric 03b Indicator*

■ **Quality metric 4: Repeat ADHD episodes**

- The output field *Quality Metric 04 Indicator* marks valid episodes that had a claim with ADHD as a primary or secondary diagnosis in the year prior to the episode start.
- ADHD diagnoses are identified based on inpatient, outpatient, or professional claims that are assigned to 365 days before the output field *Episode Start Date* that contain a code indicating ADHD in the input fields *Header Diagnosis Code* or *Header Diagnosis Code 2-28*. Codes indicating ADHD are listed in the configuration file under “Trigger Diagnosis Codes.”
- The output field *PAP Quality Metric 04 Performance* is expressed as a percentage for each PAP based on the following ratio:
 - Numerator: Number of valid episodes of the PAP that had a claim with ADHD as a primary or secondary diagnosis in the year prior to the episode start, as indicated by the *Quality Metric 04 Indicator*
 - Denominator: Number of valid episodes of the PAP

■ **Quality metric 5: Average number of pharmacy claims**

- The output field *Quality Metric 05 Indicator* is defined as the count of pharmacy claims (for header-paid pharmacy claims) and claim detail lines (for detail-paid pharmacy claims) included in episode spend.
- Pharmacy claims or claim detail lines included in episode spend are identified in section 4.3. Header- and detail-paid pharmacy claims are identified using the input field *Header Or Detail Indicator*.
- The output field *PAP Quality Metric 05 Performance* is expressed as a ratio for each PAP based on the following ratio:
 - Numerator: Count of pharmacy claims or claim detail lines included in spend of valid episodes of the PAP, as indicated by the *Quality Metric 05 Indicator*
 - Denominator: Number of valid episodes of the PAP

■ **Quality metric 6 : Episodes with 20 or more pharmacy claims**

- The output field *Quality Metric 06 Indicator* marks valid episodes where the sum of pharmacy claims (for header-paid pharmacy claims) and claim detail lines (for detail-paid pharmacy claims) included in episode spend is 20 or more.
- Pharmacy claims or claim detail lines included in episode spend are identified in section 4.3. Header- and detail-paid pharmacy claims are identified using the input field *Header Or Detail Indicator*.
- The output field *PAP Quality Metric 06 Performance* is expressed as a percentage for each PAP based on the following ratio:
 - Numerator: Number of valid episodes of the PAP with 20 or more pharmacy claims or claim detail lines included in episode spend, as indicated by the *Quality Metric 06 Indicator*
 - Denominator: Number of valid episodes of the PAP

■ **Quality metric 7: Medications for patients age 4 to 5**

- The output field *Quality Metric 07a Indicator* marks valid episodes for patients ages 4 to 5 that have pharmacy claims or claim detail lines included in episode spend.
- The output field *Quality Metric 07b Indicator* marks valid episodes for patients ages 4 to 5.
- Pharmacy claims or claim detail lines included in episode spend are identified in section 4.3.
- The output field *PAP Quality Metric 07 Performance* is expressed as a percentage for each PAP based on the following ratio:
 - Numerator: Number of valid episodes of the PAP for patients ages 4 to 5 that have medication included in episode spend, as indicated by the *Quality Metric 07a Indicator*
 - Denominator: Number of valid episodes of the PAP for patients ages 4 to 5, as indicated by the *Quality Metric 07b Indicator*

■ **Quality metric 8: Medications for patients age 6 to 12**

- The output field *Quality Metric 08a Indicator* marks valid episodes for patients ages 6 to 12 that have pharmacy claims or claim detail lines included in episode spend.

- The output field *Quality Metric 08b Indicator* marks valid episodes for patients ages 6 to 12.
 - Pharmacy claims or claim detail lines included in episode spend are identified in section 4.3.
 - The output field *PAP Quality Metric 08 Performance* is expressed as a percentage for each PAP based on the following ratio:
 - Numerator: Number of valid episodes of the PAP for patients ages 6 to 12 that have BH medication included in episode spend, as indicated by the *Quality Metric 08a Indicator*
 - Denominator: Number of valid episodes of the PAP for patients ages 6 to 12, as indicated by the *Quality Metric 08b Indicator*
- **Quality metric 9: Medications for patients age 13 to 20**
- The output field *Quality Metric 09a Indicator* marks valid episodes for patients ages 13 to 20 that have pharmacy claims or claim detail lines included in episode spend.
 - The output field *Quality Metric 09b Indicator* marks valid episodes for patients ages 13 to 20.
 - Pharmacy claims or claim detail lines included in episode spend are identified in section 4.3.
 - The output field *PAP Quality Metric 09 Performance* is expressed as a percentage for each PAP based on the following ratio:
 - Numerator: Number of valid episodes of the PAP for patients ages 13 to 20 that have BH medication included in episode spend, as indicated by the *Quality Metric 09a Indicator*
 - Denominator: Number of valid episodes of the PAP for patients ages 13 to 20, as indicated by the *Quality Metric 09b Indicator*

4.8 Perform risk adjustment

The eighth design dimension of building an ADHD episode is to risk adjust the non-risk-adjusted episode spend for risk factors that may contribute to higher episode spend given the characteristics of a patient.

Episode output fields created: *Risk Factor <risk factor number>, Episode Risk Score, Risk-adjusted Episode Spend*

PAP output fields created: *Average Risk-adjusted PAP Spend, Total Risk-adjusted PAP Spend*

Risk adjustment first requires identification of the risk factors that affect each episode. Then the *Non-risk-adjusted Episode Spend* is multiplied by the risk score that applies to the episode given its risk factors. The derivation of the risk factors and their coefficients is not part of the algorithm to produce an episode and is therefore not described in the DBR.

Flag episodes that are affected by risk factors: The following types of risk factors apply:

- Age-based risk factors: The output fields *Risk Factor <risk factor number>* for age-based risk factors indicate whether the *Member Age* of the patient falls into the age range specified for the risk factor. The relevant age ranges are listed as parameters in the configuration file under “Risk Adjustment” and are inclusive of the minimum (\geq) and maximum (\leq) values. For the definition of *Member Age* see the glossary.
- Gender-based risk factors: The output fields *Risk Factor <risk factor number>* for gender-based risk factors indicate whether the *Member Gender* of the patient contains the value specified for the risk factor. The relevant gender values are listed as parameters in the configuration file under “Risk Adjustment.”
- Aid category code-based risk factors: The output fields *Risk Factor <risk factor number>* for aid category code-based risk factors indicate whether the member has the specified eligibility status during the specified time window. Eligibility status is determined using the input field *Aid Category*.

An episode is considered to have the specified aid category code-based risk factor if:

- Either the input field *Eligibility Start Date* or the input field *Eligibility End Date* for the specified aid category code falls within the specified time period; OR
- Either the output field *Episode Start Date* or the output field *Episode End Date* falls between the *Eligibility Start Date* and *Eligibility End Date* for the specified aid category code.

The input field Member ID is linked to the output field Member ID from the Member Extract to identify the enrollment information for each patient. The risk factor aid category codes and the time windows are listed in the configuration file under “Risk Factors <risk factor number and name>.”

- **Diagnosis-based risk factors:** The output fields *Risk Factor <risk factor number>* for diagnosis-based risk factors indicate whether an inpatient, outpatient, or professional claim that is assigned to the specified time window contains a risk factor diagnosis code in any of the input fields *Header Diagnosis Code Primary* or *Header Diagnosis Code 2-28*. The risk factor diagnoses codes and the time windows are listed in the configuration file under “Risk Factors <risk factor number and name> - Diagnoses”.
- **CCS category-based risk factors:** The output fields *Risk Factor <risk factor number>* for CCS category-based risk factors indicate whether an inpatient, outpatient, or professional claim that is assigned to the specified time window contains a risk factor diagnosis code associated with the CCS code(s) in any of the input fields *Header Diagnosis Code Primary* or *Header Diagnosis Code 2-28*. CCS codes are converted into ICD-9 and ICD-10 diagnoses codes using the definition of the single/multi-level CCS categories (as indicated in the configuration file) for ICD-9 and ICD-10 diagnoses codes available from AHRQ (ICD-9 at <https://www.hcup-us.ahrq.gov/toolssoftware/ccs/ccs.jsp>, ICD-10 at <https://www.hcup-us.ahrq.gov/toolssoftware/ccs10/ccs10.jsp>). The configuration file lists the codes and time windows used under “Risk Factors <risk factor number and name> - CCS”.

The claims that are searched for risk factors do not have to be included claims. If a patient was not continuously enrolled during the year before the episode window or during the episode window, risk factors are searched for in the claims available.

Calculate the episode risk score: Each risk factor is associated with a risk coefficient, the values for which are listed as parameters in the configuration file under “Risk Adjustment.” The sum of all the risk coefficients for factors present in a given episode plus the *Average Risk Neutral Episode Spend* is the predicted spend of the episode. The configuration file lists the *Average Risk Neutral Episode Spend* as a parameter under “Risk Adjustment.” For the episode, the *Episode Risk Score* for an episode is the ratio of the *Average Risk Neutral Episode Spend* to the predicted spend of the episode. For example, if

an episode is affected by two risk factors, *Risk Factor 001* and *Risk Factor 002*, the *Episode Risk Score* is:

$$\text{Episode Risk Score} = \frac{\text{Average Risk Neutral Episode Spend}}{\text{Average Risk Neutral Episode Spend} + \text{Risk Coefficient 001} + \text{Risk Coefficient 002}}$$

If an episode is not affected by any risk factors, the *Episode Risk Score* is equal to one (1).

Calculate risk-adjusted episode spend: To calculate the episode output field *Risk-adjusted Episode Spend*, the *Non-risk-adjusted Episode Spend* is multiplied by the *Episode Risk Score*.

$$\text{Risk-adjusted Episode Spend} = \text{Non-risk-adjusted Episode Spend} * \text{Episode Risk Score}$$

The PAP output field *Average Risk-adjusted PAP Spend* is calculated as the average of the *Risk-adjusted Episode Spend* across valid episodes of each PAP. The *Total Risk-adjusted PAP Spend* is calculated as the sum of the *Risk-adjusted Episode Spend* across valid episodes of each PAP.

4.9 Calculate gain/risk sharing amounts

The ninth and final design dimension of building ADHD episode is to calculate the gain or risk sharing amount for each PAP. The description below outlines one possible approach of linking PAP performance to payments. The State of Ohio may choose to provide further guidance at a future point in time when gain/risk sharing payments will be implemented.

PAP output fields created: *Count Of Total Episodes Per PAP, Count Of Valid Episodes Per PAP, Minimum Episode Volume Pass, Gain Sharing Quality Metric Pass, Gain/Risk Sharing Amount, PAP Sharing Level*

Gain and risk sharing amounts are calculated based on the episodes of each PAP that end during the reporting period. The State's proposed approach to calculating the gain or risk sharing amount paid to/by each PAP uses the following pieces of information:

- Number of episodes of each PAP: The output field *Count Of Total Episodes Per PAP* is defined as the number of total episodes each PAP treats during the reporting period. The output field *Count Of Valid Episodes Per PAP* is defined as the number of valid episodes each PAP treats during the reporting period. Episodes are counted separately by each payer. For the provider reports the field *Count Of Valid Episodes Per PAP* is also shown broken out by the number of valid episodes with spend of each claim type (*Count Of Valid Episodes Per PAP With Inpatient/With Outpatient/With Professional/With Pharmacy*). To calculate the breakouts, the number of valid episodes of each PAP are counted that have greater than zero dollars (>\$0) in *Non-risk-adjusted Episode Spend* for a given claim type.
- Minimum episode requirement: Only PAPs who pass the minimum episode requirement of five or more (≥ 5) valid episodes receive a provider report and are eligible for gain and risk sharing. The output field *Minimum Episode Volume Pass* is set to indicate whether a PAP has five or more valid episodes during the reporting period. Whether a PAP passes the minimum episode requirement is determined independently by each payer based on the episodes a PAP has for patients enrolled with the payer. The assignment of episodes to a payer is detailed in the glossary under payer attribution.
- Performance of each PAP on quality metrics tied to gain sharing: Only PAPs who pass the quality metrics tied to gain sharing are eligible for gain sharing. The thresholds to pass the quality metrics are set in accordance with the definition of each quality metric and are provided as input parameters for the episode algorithm. The output field *Gain Sharing Quality Metric Pass* indicates whether a PAP passes all quality metrics tied to gain sharing.
- *Commendable Threshold, Acceptable Threshold, and Gain Sharing Limit Threshold*: The thresholds are set based on the historical performance of PAPs with five or more episodes. The values for the thresholds are provided as input parameters for the episode algorithm.
- *Gain Share Proportion and Risk Share Proportion*: The split of the gains and losses in the episode-based payment model between payer and provider is at the discretion of each payer. The proportions are provided as input parameters for the episode algorithm.

Gain sharing payment: To receive a gain sharing payment, a PAP must meet all of the following three criteria:

- Pass the quality metrics thresholds tied to gain sharing
- Pass the minimum episode requirement,
- Have an *Average Risk-adjusted PAP Spend* below (<) the *Commendable Threshold* and have an *Average Risk-adjusted PAP Spend* above or equal to (>=) the *Gain sharing limit*.

If the three conditions are met, the *Gain/Risk Sharing Amount* is set based on the following formula:

$$\begin{aligned} & [\textit{Gain/Risk Sharing Amount}] = \\ & [\textit{Total Non-risk-adjusted PAP Spend}] \times [\textit{Gain Share Proportion}] \\ & \times \left(\frac{[\textit{Commendable Threshold}] - [\textit{Average Risk-adjusted PAP Spend}]}{[\textit{Average Risk-adjusted PAP Spend}]} \right) \end{aligned}$$

Risk sharing payment: To owe a risk-sharing payment, a PAP must meet both of the following criteria:

- Pass the minimum episode requirement
- Have an *Average Risk-adjusted PAP Spend* above or equal to (>=) the *Acceptable Threshold*.

The risk-sharing payment applies irrespective of the performance of the PAP on the quality metrics. If the above two conditions are met, the *Gain/Risk Sharing Amount* is set based on the following formula:

$$\begin{aligned} & [\textit{Gain/Risk Sharing Amount}] = \\ & [\textit{Total Non-risk-adjusted PAP Spend}] \times [\textit{Risk Share Proportion}] \\ & \times \left(\frac{[\textit{Acceptable Threshold}] - [\textit{Average Risk-adjusted PAP Spend}]}{[\textit{Average Risk-adjusted PAP Spend}]} \right) \end{aligned}$$

If neither the conditions for a gain sharing payment nor a risk sharing payment are met, the output field *Gain/Risk Sharing Amount* is set to zero dollars (“\$0”).

To summarize the performance of each PAP in the episode-based payment model the output field *PAP Sharing Level* is set to

- “1” if *Average Risk-adjusted PAP Spend* < *Gain Sharing Limit Threshold*
- “2” if *Average Risk-adjusted PAP Spend* < *Commendable Threshold* and also \geq *Gain Sharing Limit Threshold*
- “3” if *Average Risk-adjusted PAP Spend* \leq *Acceptable Threshold* and also \geq *Commendable Threshold*
- “4” if *Average Risk-adjusted PAP Spend* > *Acceptable Threshold*

*** End of algorithm ***

5. GLOSSARY

- **Claim types:** The claim types used in the ADHD Episode are based on the input field *Claim Type*. The required claim types are:
 - Inpatient (I)
 - Outpatient (O)
 - Long-term care (L)
 - Pharmacy (P and Q)
 - Professional (M)

Note that the State of Ohio Department of Medicaid defines long-term care claims based on the input field *Type of Bill* values beginning with 21, 22, 23, 28, 65, and 66.

- **Clean period:** See section 2.3.1
- **CPT:** Current Procedural Terminology
- **DBR:** Detailed Business Requirements
- **Duration of time windows:** The duration of a time window (e.g., the episode window, the trigger window), the duration of a claim or claim detail line, and the length of stay for inpatient stays is calculated as the last date minus the first date plus one (1). For example:
 - A trigger window with a *Trigger Window Start Date* of January 1, 2014 and a *Trigger Window End Date* of January 1, 2014 has a duration of one (1) day.
 - A trigger window with a *Trigger Window Start Date* of January 1, 2014 and a *Trigger Window End Date* of January 3, 2014 has a duration of three (3) days.
 - A claim with a *Header From Date Of Service* of January 1, 2014 and a *Header To Date of Service* of January 2, 2014 has a duration of two (2) days.
- **Episode window:** See section 4.2
- **FFS:** Fee For Service
- **HCPCS:** Healthcare Common Procedure Coding System

- **HIC3:** Hierarchical Ingredient Code at the third level based on the classification system by First Databank
- **Hospitalization:** A hospitalization is defined as all the inpatient claims a patient incurs while being continuously hospitalized in one inpatient facility. A hospitalization may include more than one inpatient claim because the inpatient facility may file interim inpatient claims. A hospitalization consisting of just one inpatient claim starts on the *Header From Date Of Service* and ends on the *Discharge Date* of the inpatient claim. A hospitalization where two or more inpatient claims are linked together starts on the *Header From Date Of Service* of the first inpatient claim and ends on the *Discharge Date* of the last inpatient claim in the hospitalization. Within the DBR, the start of a hospitalization is referred to as the *Header From Date Of Service* for that hospitalization and the end of the hospitalization is referred to as the *Discharge Date* of that hospitalization.

Inpatient claims are linked together into one hospitalization consisting of two or more inpatient claims if any of the following conditions apply:

- Interim billing or reserved/missing discharge status: An inpatient claim with a *Patient Status Indicator* that indicates interim billing (see the configuration file under “Hospitalization – Interim Billing” for the codes used), that is reserved (see the configuration file under “Hospitalization – Reserved” for the codes used), or that is missing is linked with a second inpatient claim into one hospitalization if either of the following conditions apply:
 - There is a second inpatient claim with a *Header From Date Of Service* on the same day as or the day after the *Discharge Date* of the first inpatient claim
 - There is a second inpatient claim with an *Admission Date* on the same day as the *Admit Date* of the first inpatient claim and also a *Header From Date Of Service* on the same day as or within thirty (≤ 30) days after the *Discharge Date* of the first inpatient claim. If the *Discharge Date* of the first inpatient claim is not populated, then use the *Header To Date of Service* of the first inpatient claim.
- If the second inpatient claim (and potentially third, fourth, etc.) also has a *Patient Status Indicator* indicating interim billing, reserved, or missing, the hospitalization is extended further until an inpatient claim

with a discharge status other than interim billing, reserved, missing, or transfer occurs, or until the inpatient claim that follows does not satisfy the required conditions.

- **Transfer:** An inpatient claim with a *Patient Status Indicator* indicating a transfer (see the configuration file under “Hospitalization – Transfer” for the codes used) is not linked with the second inpatient claim. The second inpatient claim yields a separate hospitalization with a *Header From Date Of Service* on the same day as or the day after the *Discharge Date* of the first inpatient claim.

- **ICD-9:** International Classification of Diseases, Ninth Revision
- **ICD-10:** International Classification of Diseases, Tenth Revision
- **ICN:** Internal Control Number
- **Length of stay:** See glossary entry Duration of time windows.
- **MCP:** Managed Care Plan
- **Member Age:** The output field *Member Age* reflects the patient’s age in years at the episode trigger. *Member Age* is calculated as the difference in years between the start of the claim that is used to set the *Trigger Claim ID* and the date of birth of the patient. The start of the claim is determined using the input field *Header From Date Of Service* for inpatient claims and the earliest *Detail From Date Of Service* across all claim detail lines for outpatient and professional claims. The date of birth of the patient is identified by linking the *Member ID* of the patient in the episode output table to the *Member ID* of the patient in the Member Extract and looking up the date in the input field *Date of Birth*. *Member Age* is always rounded down to the full year. For example, if a patient is 20 years and 11-months old at the start of the episode, the *Member Age* is set to 20 years. If the *Date of Birth* is missing, greater than (>) 100 years, or less than (<) 0 years, then the output field *Member Age* is treated as invalid.
- **NDC:** National Drug Code
- **PAP:** Principal Accountable Provider
- **Patient:** An individual with an ADHD episode
- **Payer attribution:** Patients may be enrolled with Ohio Medicaid Fee For Service or with a Managed Care Plan. An episode is attributed to a payer using the input field *MCP ID* with the highest number of visits included in

the episode spend that have the input field *Billing Provider ID* matching the output field *PAP ID*.

If two or more payers are tied based on the number of visits, the following hierarchy is applied:

- Among payers that are tied, the input field *MCP ID* with the highest amount of spend across included claims is the payer of the episode.
 - Among payers that are still tied, the input fields *MCP ID* with the visit that starts closest to the output field *Episode End Date* is the payer attributed to the episode. The visit must be included in episode spend.
 - Among payers that are still tied, the first payer in alphabetical order in the input field *MCP ID* is the payer of the episode.
- **Trigger window:** See section 4.2
 - **Total episodes:** All episodes, valid plus invalid.
 - **Valid episodes:** See section 4.6
 - **Visit:** A visit is defined as all claim detail lines of professional claims with the same detail line start date.

The duration of a visit is defined as the detail line start date to the maximum detail line end date of detail lines that are part of the visit.